

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04937
Certificate Rent-All-number: 001

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04932
Certificate Rent-All-number: 002

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04921
Certificate Rent-All-number: 003

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A04936
 Certificate Rent-All-number: 004

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04923
Certificate Rent-All-number: 005

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 15-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04919
Certificate Rent-All-number: 007

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04931
Certificate Rent-All-number: 008

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04918
Certificate Rent-All-number: 009

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04934
Certificate Rent-All-number: 010

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04925
Certificate Rent-All-number: 011

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04929
Certificate Rent-All-number: 012

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 15-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A04930
 Certificate Rent-All-number: 014

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 14-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A04917
 Certificate Rent-All-number: 015

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 15-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A04926
 Certificate Rent-All-number: 016

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 14-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04924
Certificate Rent-All-number: 018

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04920
Certificate Rent-All-number: 021

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A04939
 Certificate Rent-All-number: 022

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 28-03-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A04933
Certificate Rent-All-number: 024

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06405
Certificate Rent-All-number: 027

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06402
Certificate Rent-All-number: 028

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06397
Certificate Rent-All-number: 029

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06398
Certificate Rent-All-number: 030

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06404
Certificate Rent-All-number: 031

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06400
Certificate Rent-All-number: 032

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06412
Certificate Rent-All-number: 033

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 15-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06406
Certificate Rent-All-number: 034

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06413
Certificate Rent-All-number: 035

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A06410
 Certificate Rent-All-number: 036

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 15-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06418
Certificate Rent-All-number: 037

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06419
Certificate Rent-All-number: 038

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06415
Certificate Rent-All-number: 039

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06409
Certificate Rent-All-number: 040

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06416
Certificate Rent-All-number: 042

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: A06414
 Certificate Rent-All-number: 043

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 20-12-2010
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: A06408
Certificate Rent-All-number: 045

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 20-12-2010
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05121
Certificate Rent-All-number: 058

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05126
Certificate Rent-All-number: 059

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05122
Certificate Rent-All-number: 060

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05090
Certificate Rent-All-number: 061

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05088
Certificate Rent-All-number: 062

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05089
Certificate Rent-All-number: 063

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05087
Certificate Rent-All-number: 064

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05079
Certificate Rent-All-number: 065

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05080
Certificate Rent-All-number: 066

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05081
Certificate Rent-All-number: 067

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05082
Certificate Rent-All-number: 068

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05085
Certificate Rent-All-number: 069

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: B05086
 Certificate Rent-All-number: 070

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 07-06-2011
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: B05083
 Certificate Rent-All-number: 071

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 07-06-2011
 Date of last test: 28-03-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05084
Certificate Rent-All-number: 072

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05067
Certificate Rent-All-number: 073

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05068
Certificate Rent-All-number: 074

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 19-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05070
Certificate Rent-All-number: 075

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05069
Certificate Rent-All-number: 076

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05078
Certificate Rent-All-number: 077

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05077
Certificate Rent-All-number: 078

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05075
Certificate Rent-All-number: 079

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05075
Certificate Rent-All-number: 080

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05071
Certificate Rent-All-number: 081

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05074
Certificate Rent-All-number: 082

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: B05073
 Certificate Rent-All-number: 083

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 07-06-2011
 Date of last test: 16-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B05072
Certificate Rent-All-number: 084

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 07-06-2011
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11920
Certificate Rent-All-number: 087

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 21-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11796
Certificate Rent-All-number: 090

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11777
Certificate Rent-All-number: 091

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11919
Certificate Rent-All-number: 094

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11918
Certificate Rent-All-number: 095

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11778
Certificate Rent-All-number: 096

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: B11794
 Certificate Rent-All-number: 097

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 03-07-2012
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11779
Certificate Rent-All-number: 098

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11791
Certificate Rent-All-number: 100

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: B11781
 Certificate Rent-All-number: 101

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 03-07-2012
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: B11793
Certificate Rent-All-number: 102

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 03-07-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00921
Certificate Rent-All-number: 104

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 17-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00915
Certificate Rent-All-number: 105

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: C00925
 Certificate Rent-All-number: 106

Strenght
 Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 02-10-2012
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00911
Certificate Rent-All-number: 107

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00910
Certificate Rent-All-number: 109

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00920
Certificate Rent-All-number: 110

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 16-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: C00917
 Certificate Rent-All-number: 111

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 02-10-2012
 Date of last test: 15-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C00922
Certificate Rent-All-number: 114

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 15-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C-00919
Certificate Rent-All-number: 116

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 14-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C-00918
Certificate Rent-All-number: 117

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 15-01-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: C-00913
 Certificate Rent-All-number: 118

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 02-10-2012
 Date of last test: 17-01-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C-00923
Certificate Rent-All-number: 119

Strenght
Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 28-03-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: C-11281
 Certificate Rent-All-number: 121

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 02-10-2012
 Date of last test: 11-02-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C-11282
Certificate Rent-All-number: 122

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 11-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 1 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminum
Heat treatment: non glowing
Identification number: C-11283
Certificate Rent-All-number: 123

Strenght

Proofload applied: 12,5 KN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 02-10-2012
Date of last test: 11-02-2013

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Kevin Toonen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 1 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminum
 Heat treatment: non glowing
 Identification number: C-11284
 Certificate Rent-All-number: 124

Strenght

Proofload applied: 12,5 KN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 02-10-2012
 Date of last test: 11-02-2013

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Kevin Toonen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓