

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.


Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31204
Certificate Rent-All-number: 001

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012
Date of last test : 7/9/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31191
Certificate Rent-All-number: 004

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 1/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *B31192*
Certificate Rent-All-number: *005*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *2/28/2012*

Date of last test : *2/13/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK

<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test OK

<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection OK

<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test OK

<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall OK

<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B31188*
 Certificate Rent-All-number: *006*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *2/28/2012*

Date of last test : *8/9/2019*

* *Date notation used :* MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B31190*
 Certificate Rent-All-number: *009*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *2/28/2012*
 Date of last test : *2/4/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	<i>✓</i>
<i>casing</i>	<i>✓</i>
<i>chain bag + safety</i>	<i>✓</i>
<i>power plug</i>	<i>✓</i>
<i>power cord</i>	<i>✓</i>
Regular Test	OK
<i>dead end stopper</i>	<i>✓</i>
<i>screw connections</i>	<i>✓</i>
<i>hook suspension</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>hook tackle / block</i>	<i>✓</i>
Inside inspection	OK
<i>electric wiring</i>	<i>✓</i>
<i>brake system</i>	<i>✓</i>
<i>brake frame screws</i>	<i>✓</i>
<i>lift wheel</i>	<i>✓</i>
<i>chain guide</i>	<i>✓</i>
Final test	OK
<i>load test</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>brake test</i>	<i>✓</i>
<i>overload test</i>	<i>✓</i>
Overall	OK
<i>CE - Marking</i>	<i>✓</i>
<i>A3 / NEN3140</i>	<i>✓</i>

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *B31198*
Certificate Rent-All-number: *010*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *2/28/2012*
Date of last test : *7/22/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment **Chainmaster**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B31195*
 Certificate Rent-All-number: *011*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *2/28/2012*

Date of last test : *1/15/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31197
Certificate Rent-All-number: 014

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 2/20/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31205
Certificate Rent-All-number: 016

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31196
Certificate Rent-All-number: 018

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 2/25/2020

** Date notation used :* MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B31208
Certificate Rent-All-number: 019

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B31201
 Certificate Rent-All-number: 020

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/28/2012

Date of last test : 7/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *B31199*
Certificate Rent-All-number: *023*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *2/28/2012*
Date of last test : *5/3/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C24099*
 Certificate Rent-All-number: *025*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/21/2012*
 Date of last test : *1/14/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24096*
Certificate Rent-All-number: *026*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*
Date of last test : *12/3/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24103
Certificate Rent-All-number: 027

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C24834
 Certificate Rent-All-number: 030

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/21/2012
 Date of last test : 2/11/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24827*
Certificate Rent-All-number: *034*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *2/11/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C24093
 Certificate Rent-All-number: 035

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 1/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24095*
Certificate Rent-All-number: *038*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *1/15/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24828*
Certificate Rent-All-number: *039*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *1/14/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24829
Certificate Rent-All-number: 040

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 1/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C26318
Certificate Rent-All-number: 041

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 2/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24094
Certificate Rent-All-number: 042

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 2/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24823
Certificate Rent-All-number: 043

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C24831*
 Certificate Rent-All-number: *044*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/21/2012*
 Date of last test : *1/10/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	

Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	

Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	

Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	

Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24824*
Certificate Rent-All-number: *046*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *2/7/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24097*
Certificate Rent-All-number: *047*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *2/6/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C26319
Certificate Rent-All-number: 048

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 2/11/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24107
Certificate Rent-All-number: 050

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 12/19/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24838
Certificate Rent-All-number: 051

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 1/27/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24843
Certificate Rent-All-number: 053

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 12/20/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24092
Certificate Rent-All-number: 055

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24112*
Certificate Rent-All-number: *056*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*
Date of last test : *2/25/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C24846
 Certificate Rent-All-number: 062

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 3/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test OK

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall OK

- CE - Marking ✓
- A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24105
Certificate Rent-All-number: 064

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 1/17/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C24844
Certificate Rent-All-number: 068

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24836*
Certificate Rent-All-number: *069*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *2/7/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C24837*
Certificate Rent-All-number: *070*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*
Date of last test : *1/14/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C24110*
 Certificate Rent-All-number: *072*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *1/14/2020*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C26320
 Certificate Rent-All-number: 073

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 1/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29476
Certificate Rent-All-number: 078

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 1/12/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29475
Certificate Rent-All-number: 079

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 11/14/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29477
Certificate Rent-All-number: 082

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 11/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C29485
 Certificate Rent-All-number: 084

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/21/2012
 Date of last test : 11/20/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29478
Certificate Rent-All-number: 086

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 12/19/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29480
Certificate Rent-All-number: 087

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29481*
Certificate Rent-All-number: *089*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *1/10/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29270*
Certificate Rent-All-number: *090*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *7/22/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29271*
Certificate Rent-All-number: *091*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*
Date of last test : *1/13/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29274
Certificate Rent-All-number: 094

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012
Date of last test : 3/16/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29280*
Certificate Rent-All-number: *095*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*
Date of last test : *12/18/2018*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29273*
Certificate Rent-All-number: *097*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *1/3/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29275*
Certificate Rent-All-number: *098*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *7/9/2019*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29276
Certificate Rent-All-number: 099

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test : 2/25/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C29278*
 Certificate Rent-All-number: *101*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/21/2012*

Date of last test : *3/8/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29491
Certificate Rent-All-number: 102

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/19/2012

Date of last test : 3/16/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29494*
Certificate Rent-All-number: *104*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2012*

Date of last test : *2/11/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C29495
 Certificate Rent-All-number: 105

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/19/2012

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29493*
Certificate Rent-All-number: *107*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2012*

Date of last test : *1/3/2020*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29489*
Certificate Rent-All-number: *108*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2012*

Date of last test : *8/16/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C29490*
Certificate Rent-All-number: *109*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2012*
Date of last test : *1/3/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29651
Certificate Rent-All-number: 110

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/19/2012
Date of last test : 3/12/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29653
Certificate Rent-All-number: 111

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/19/2012

Date of last test : 1/27/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C29503
 Certificate Rent-All-number: 112

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/19/2012
 Date of last test : 5/3/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C29504
 Certificate Rent-All-number: 115

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/19/2012
 Date of last test : 3/29/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29654
Certificate Rent-All-number: 116

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/19/2012
Date of last test : 1/15/2020
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C29487*
 Certificate Rent-All-number: *117*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2012*

Date of last test : *2/11/2020*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C29492*
 Certificate Rent-All-number: *118*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2012*

Date of last test : *3/16/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C29499*
 Certificate Rent-All-number: *120*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2012*
 Date of last test : *2/7/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✔
casing	✔
chain bag + safety	✔
power plug	✔
power cord	✔
Regular Test	OK
dead end stopper	✔
screw connections	✔
hook suspension	✔
chain	✔
hook tackle / block	✔
Inside inspection	OK
electric wiring	✔
brake system	✔
brake frame screws	✔
lift wheel	✔
chain guide	✔
Final test	OK
load test	✔
chain	✔
brake test	✔
overload test	✔
Overall	OK
CE - Marking	✔
A3 / NEN3140	✔

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C29656
Certificate Rent-All-number: 125

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/19/2012

Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28503
 Certificate Rent-All-number: 126

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 1/10/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28480*
Certificate Rent-All-number: *128*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *10/16/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: Chainmaster</p> <p>Description: Chainmaster D8+ 250KG HH. 24 meter</p> <p>Dimensions: chain diameter 5,2 x 15 mm parten 1</p> <p>Material: steel + aluminium</p> <p>Heat treatment: non glowing</p> <p>Identification number: E28495</p> <p>Certificate Rent-All-number: 131</p> <p><i>Strength</i></p> <p>Proof load applied: 3,12 kN</p> <p>Working load limit: 250 KG</p> <p>Safety factor: 4:01</p> <p>Manufacturing date: 9/3/2014</p> <p>Date of last test : 5/17/2019</p> <p><small>* Date notation used :</small> MM/DD/YYYY</p> <p>Name and address of supplier:</p> <p><i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i></p> <p>Signature of competent engineer</p>  <p><i>Pieter Langen</i></p>	<table border="0" style="width: 100%;"> <tr> <td style="padding-bottom: 5px;">Hoist parts and access.</td> <td style="text-align: right; padding-bottom: 5px;">OK</td> </tr> <tr> <td>handles</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>casing</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>chain bag + safety</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>power plug</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>power cord</td> <td style="text-align: right;">✓</td> </tr> <tr> <td> Regular Test</td> <td style="text-align: right; vertical-align: bottom;">OK</td> </tr> <tr> <td>dead end stopper</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>screw connections</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>hook suspension</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>chain</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>hook tackle / block</td> <td style="text-align: right;">✓</td> </tr> <tr> <td> Inside inspection</td> <td style="text-align: right; vertical-align: bottom;">OK</td> </tr> <tr> <td>electric wiring</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>brake system</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>brake frame screws</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>lift wheel</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>chain guide</td> <td style="text-align: right;">✓</td> </tr> <tr> <td> Final test</td> <td style="text-align: right; vertical-align: bottom;">OK</td> </tr> <tr> <td>load test</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>chain</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>brake test</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>overload test</td> <td style="text-align: right;">✓</td> </tr> <tr> <td> Overall</td> <td style="text-align: right; vertical-align: bottom;">OK</td> </tr> <tr> <td>CE - Marking</td> <td style="text-align: right;">✓</td> </tr> <tr> <td>A3 / NEN3140</td> <td style="text-align: right;">✓</td> </tr> </table>	Hoist parts and access.	OK	handles	✓	casing	✓	chain bag + safety	✓	power plug	✓	power cord	✓	 Regular Test	OK	dead end stopper	✓	screw connections	✓	hook suspension	✓	chain	✓	hook tackle / block	✓	 Inside inspection	OK	electric wiring	✓	brake system	✓	brake frame screws	✓	lift wheel	✓	chain guide	✓	 Final test	OK	load test	✓	chain	✓	brake test	✓	overload test	✓	 Overall	OK	CE - Marking	✓	A3 / NEN3140	✓
Hoist parts and access.	OK																																																				
handles	✓																																																				
casing	✓																																																				
chain bag + safety	✓																																																				
power plug	✓																																																				
power cord	✓																																																				
 Regular Test	OK																																																				
dead end stopper	✓																																																				
screw connections	✓																																																				
hook suspension	✓																																																				
chain	✓																																																				
hook tackle / block	✓																																																				
 Inside inspection	OK																																																				
electric wiring	✓																																																				
brake system	✓																																																				
brake frame screws	✓																																																				
lift wheel	✓																																																				
chain guide	✓																																																				
 Final test	OK																																																				
load test	✓																																																				
chain	✓																																																				
brake test	✓																																																				
overload test	✓																																																				
 Overall	OK																																																				
CE - Marking	✓																																																				
A3 / NEN3140	✓																																																				

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28498
 Certificate Rent-All-number: 132

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 12/20/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28501
Certificate Rent-All-number: 134

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28497
Certificate Rent-All-number: 135

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 1/17/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E26059
 Certificate Rent-All-number: 138

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 12/19/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26072
Certificate Rent-All-number: 141

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 1/10/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26058
Certificate Rent-All-number: 145

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 1/3/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26471
Certificate Rent-All-number: 149

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 2/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26464
Certificate Rent-All-number: 150

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 1/23/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E26465*
Certificate Rent-All-number: *151*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*

Date of last test : *2/6/2020*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26480
Certificate Rent-All-number: 154

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 2/11/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E26482
 Certificate Rent-All-number: 156

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 12/20/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.


Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E26467
 Certificate Rent-All-number: 158

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 1/10/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28502
Certificate Rent-All-number: 161

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 7/3/2018

** Date notation used :* MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28179*
Certificate Rent-All-number: *162*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *1/23/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *E28178*
 Certificate Rent-All-number: *163*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/3/2014*
 Date of last test : *1/10/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28170
 Certificate Rent-All-number: 164

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 2/13/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28180
Certificate Rent-All-number: 165

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 12/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28175*
Certificate Rent-All-number: *168*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *11/1/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28176
Certificate Rent-All-number: 169

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 3/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28177*
Certificate Rent-All-number: *170*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *7/19/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28169
Certificate Rent-All-number: 172

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 2/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28165
Certificate Rent-All-number: 173

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28173
Certificate Rent-All-number: 178

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 12/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28157
 Certificate Rent-All-number: 179

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 3/16/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test OK

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall OK

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28161
Certificate Rent-All-number: 181

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 12/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28172
 Certificate Rent-All-number: 182

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 1/10/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28163
Certificate Rent-All-number: 183

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 1/10/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28164
Certificate Rent-All-number: 184

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28153
Certificate Rent-All-number: 185

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 5/3/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28156
Certificate Rent-All-number: 186

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 2/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>	handles	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	casing	✓
Material:	<i>steel + aluminium</i>	chain bag + safety	✓
Heat treatment:	<i>non glowing</i>	power plug	✓
Identification number:	<i>E28148</i>	power cord	✓
Certificate Rent-All-number:	<i>189</i>	 Regular Test	OK
 <i>Strength</i>		dead end stopper	✓
Proof load applied:	<i>3,12 kN</i>	screw connections	✓
Working load limit:	<i>250 KG</i>	hook suspension	✓
Safety factor:	<i>4:01</i>	chain	✓
		hook tackle / block	✓
Manufacturing date:	<i>9/3/2014</i>	 Inside inspection	OK
Date of last test :	<i>9/6/2019</i>	electric wiring	✓
* Date notation used :	<i>MM/DD/YYYY</i>	brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:	<i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i>	 Final test	OK
Signature of competent engineer	 	load test	✓
	 <i>Pieter Langen</i>	chain	✓
		brake test	✓
		overload test	✓
		 Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28147*
Certificate Rent-All-number: *190*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *3/5/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28160*
Certificate Rent-All-number: *191*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *1/14/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28149*
Certificate Rent-All-number: *193*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *1/16/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28152
Certificate Rent-All-number: 195

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 10/16/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28151
Certificate Rent-All-number: 197

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 2/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *E26469*
 Certificate Rent-All-number: *198*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/3/2014*
 Date of last test : *10/16/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *E26463*
 Certificate Rent-All-number: *199*


Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/3/2014*
 Date of last test : *5/23/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E26466
 Certificate Rent-All-number: 201

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 10/16/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26484
Certificate Rent-All-number: 202

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E26483
Certificate Rent-All-number: 203

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 2/6/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E26485*
Certificate Rent-All-number: *204*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *1/14/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmell / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28485
 Certificate Rent-All-number: 211

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014

Date of last test : 9/6/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.


Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: E28490
 Certificate Rent-All-number: 212

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/3/2014
 Date of last test : 1/17/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: E28484
Certificate Rent-All-number: 216

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/3/2014
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E28487*
Certificate Rent-All-number: *217*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *3/29/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: <i>Chainmaster</i></p> <p>Description: <i>Chainmaster D8+ 250KG HH. 24 meter</i></p> <p>Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i></p> <p>Material: <i>steel + aluminium</i></p> <p>Heat treatment: <i>non glowing</i></p> <p>Identification number: <i>E28488</i></p> <p>Certificate Rent-All-number: <i>219</i></p>	<p>Hoist parts and access. OK</p> <p><i>handles</i> ✓</p> <p><i>casing</i> ✓</p> <p><i>chain bag + safety</i> ✓</p> <p><i>power plug</i> ✓</p> <p><i>power cord</i> ✓</p>
<p>Strength</p> <p>Proof load applied: <i>3,12 kN</i></p> <p>Working load limit: <i>250 KG</i></p> <p>Safety factor: <i>4:01</i></p>	<p>Regular Test OK</p> <p><i>dead end stopper</i> ✓</p> <p><i>screw connections</i> ✓</p> <p><i>hook suspension</i> ✓</p> <p><i>chain</i> ✓</p> <p><i>hook tackle / block</i> ✓</p>
<p>Manufacturing date: <i>9/3/2014</i></p> <p>Date of last test : <i>1/14/2020</i></p> <p>* Date notation used : <i>MM/DD/YYYY</i></p>	<p>Inside inspection OK</p> <p><i>electric wiring</i> ✓</p> <p><i>brake system</i> ✓</p> <p><i>brake frame screws</i> ✓</p> <p><i>lift wheel</i> ✓</p> <p><i>chain guide</i> ✓</p>
<p>Name and address of supplier:</p> <p><i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i></p>	<p>Final test OK</p> <p><i>load test</i> ✓</p> <p><i>chain</i> ✓</p> <p><i>brake test</i> ✓</p> <p><i>overload test</i> ✓</p>
<p>Signature of competent engineer</p>  <p><i>Pieter Langen</i></p>	<p>Overall OK</p> <p><i>CE - Marking</i> ✓</p> <p><i>A3 / NEN3140</i> ✓</p>

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E26061*
Certificate Rent-All-number: *221*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*

Date of last test : *1/3/2020*

** Date notation used : MM/DD/YYYY*






















Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
 Regular Test	 OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
 Inside inspection	 OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
 Final test	 OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
 Overall	 OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *E26066*
Certificate Rent-All-number: *223*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/3/2014*
Date of last test : *2/20/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21301
 Certificate Rent-All-number: 226

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016
 Date of last test : 12/23/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G21295	power cord	✓
Certificate Rent-All-number:	229	Regular Test	OK
Strength		dead end stopper	✓
Proof load applied:	3,12 kN	screw connections	✓
Working load limit:	250 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
Manufacturing date:	2/16/2016	hook tackle / block	✓
Date of last test :	11/14/2019	Inside inspection	OK
* Date notation used :	MM/DD/YYYY	electric wiring	✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	brake system	✓
Signature of competent engineer		brake frame screws	✓
		lift wheel	✓
Pieter Langen		chain guide	✓
		Final test	OK
		load test	✓
		chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G21304
Certificate Rent-All-number: 230

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/16/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmell / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G21299
Certificate Rent-All-number: 231

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/16/2016
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21715
 Certificate Rent-All-number: 235

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016
 Date of last test : 10/11/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G21294*
 Certificate Rent-All-number: *238*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *2/16/2016*

Date of last test : *1/17/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21716
 Certificate Rent-All-number: 240

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016
 Date of last test : 2/11/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test OK

dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection OK

electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test OK

load test	✓
chain	✓
brake test	✓
overload test	✓

Overall OK

CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21303
 Certificate Rent-All-number: 242

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016

Date of last test : 2/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>	handles	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	casing	✓
Material:	<i>steel + aluminium</i>	chain bag + safety	✓
Heat treatment:	<i>non glowing</i>	power plug	✓
Identification number:	<i>G21308</i>	power cord	✓
Certificate Rent-All-number:	<i>243</i>		
		Regular Test	OK
Strength		dead end stopper	✓
Proof load applied:	<i>3,12 kN</i>	screw connections	✓
Working load limit:	<i>250 KG</i>	hook suspension	✓
Safety factor:	<i>4:01</i>	chain	✓
		hook tackle / block	✓
Manufacturing date:	<i>2/16/2016</i>	Inside inspection	OK
Date of last test :	<i>1/14/2020</i>	electric wiring	✓
* Date notation used :	<i>MM/DD/YYYY</i>	brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
		Final test	OK
		load test	✓
		chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: <i>Chainmaster</i></p> <p>Description: <i>Chainmaster D8+ 250KG HH. 24 meter</i></p> <p>Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i></p> <p>Material: <i>steel + aluminium</i></p> <p>Heat treatment: <i>non glowing</i></p> <p>Identification number: <i>G21717</i></p> <p>Certificate Rent-All-number: <i>244</i></p> <p>Strength</p> <p>Proof load applied: <i>3,12 kN</i></p> <p>Working load limit: <i>250 KG</i></p> <p>Safety factor: <i>4:01</i></p> <p>Manufacturing date: <i>2/16/2016</i></p> <p>Date of last test : <i>2/11/2020</i></p> <p><small>* Date notation used : MM/DD/YYYY</small></p> <p>Name and address of supplier: <i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i></p> <p>Signature of competent engineer</p> <div style="text-align: center; margin-top: 20px;">  </div> <p style="margin-top: 10px;"><i>Pieter Longen</i></p>	<table border="0" style="width: 100%;"> <tr> <td style="padding-top: 20px;">Hoist parts and access.</td> <td style="text-align: right; vertical-align: top;">OK</td> </tr> <tr><td>handles</td><td style="text-align: right;">✓</td></tr> <tr><td>casing</td><td style="text-align: right;">✓</td></tr> <tr><td>chain bag + safety</td><td style="text-align: right;">✓</td></tr> <tr><td>power plug</td><td style="text-align: right;">✓</td></tr> <tr><td>power cord</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2" style="padding-top: 20px;">Regular Test</td></tr> <tr><td colspan="2" style="text-align: right;">OK</td></tr> <tr><td>dead end stopper</td><td style="text-align: right;">✓</td></tr> <tr><td>screw connections</td><td style="text-align: right;">✓</td></tr> <tr><td>hook suspension</td><td style="text-align: right;">✓</td></tr> <tr><td>chain</td><td style="text-align: right;">✓</td></tr> <tr><td>hook tackle / block</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2" style="padding-top: 20px;">Inside inspection</td></tr> <tr><td colspan="2" style="text-align: right;">OK</td></tr> <tr><td>electric wiring</td><td style="text-align: right;">✓</td></tr> <tr><td>brake system</td><td style="text-align: right;">✓</td></tr> <tr><td>brake frame screws</td><td style="text-align: right;">✓</td></tr> <tr><td>lift wheel</td><td style="text-align: right;">✓</td></tr> <tr><td>chain guide</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2" style="padding-top: 20px;">Final test</td></tr> <tr><td colspan="2" style="text-align: right;">OK</td></tr> <tr><td>load test</td><td style="text-align: right;">✓</td></tr> <tr><td>chain</td><td style="text-align: right;">✓</td></tr> <tr><td>brake test</td><td style="text-align: right;">✓</td></tr> <tr><td>overload test</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2" style="padding-top: 20px;">Overall</td></tr> <tr><td colspan="2" style="text-align: right;">OK</td></tr> <tr><td>CE - Marking</td><td style="text-align: right;">✓</td></tr> <tr><td>A3 / NEN3140</td><td style="text-align: right;">✓</td></tr> </table>	Hoist parts and access.	OK	handles	✓	casing	✓	chain bag + safety	✓	power plug	✓	power cord	✓	Regular Test		OK		dead end stopper	✓	screw connections	✓	hook suspension	✓	chain	✓	hook tackle / block	✓	Inside inspection		OK		electric wiring	✓	brake system	✓	brake frame screws	✓	lift wheel	✓	chain guide	✓	Final test		OK		load test	✓	chain	✓	brake test	✓	overload test	✓	Overall		OK		CE - Marking	✓	A3 / NEN3140	✓
Hoist parts and access.	OK																																																												
handles	✓																																																												
casing	✓																																																												
chain bag + safety	✓																																																												
power plug	✓																																																												
power cord	✓																																																												
Regular Test																																																													
OK																																																													
dead end stopper	✓																																																												
screw connections	✓																																																												
hook suspension	✓																																																												
chain	✓																																																												
hook tackle / block	✓																																																												
Inside inspection																																																													
OK																																																													
electric wiring	✓																																																												
brake system	✓																																																												
brake frame screws	✓																																																												
lift wheel	✓																																																												
chain guide	✓																																																												
Final test																																																													
OK																																																													
load test	✓																																																												
chain	✓																																																												
brake test	✓																																																												
overload test	✓																																																												
Overall																																																													
OK																																																													
CE - Marking	✓																																																												
A3 / NEN3140	✓																																																												

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21712
 Certificate Rent-All-number: 245

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016
 Date of last test : 1/9/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G21718*
Certificate Rent-All-number: *246*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *2/16/2016*

Date of last test : *2/11/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G21713
Certificate Rent-All-number: 247

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/16/2016

Date of last test : 1/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G21305
 Certificate Rent-All-number: 249

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 2/16/2016

Date of last test : 2/20/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27083*
 Certificate Rent-All-number: *250*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/19/2016*

Date of last test : *1/10/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27077
Certificate Rent-All-number: 253

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016
Date of last test : 1/23/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27068
Certificate Rent-All-number: 261

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016
Date of last test : 3/29/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27081
Certificate Rent-All-number: 262

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27080
Certificate Rent-All-number: 263

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016
Date of last test : 3/29/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27076*
Certificate Rent-All-number: *264*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/19/2016*
Date of last test : *10/16/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27084*
Certificate Rent-All-number: *266*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/19/2016*
Date of last test : *10/16/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

<p>Manufacturer: Chainmaster</p> <p>Description: Chainmaster D8+ 250KG HH. 24 meter</p> <p>Dimensions: chain diameter 5,2 x 15 mm parten 1</p> <p>Material: steel + aluminium</p> <p>Heat treatment: non glowing</p> <p>Identification number: G27075</p> <p>Certificate Rent-All-number: 267</p>	<p>Hoist parts and access. OK</p> <p>handles ✓</p> <p>casing ✓</p> <p>chain bag + safety ✓</p> <p>power plug ✓</p> <p>power cord ✓</p> <p>Regular Test OK</p> <p>dead end stopper ✓</p> <p>screw connections ✓</p> <p>hook suspension ✓</p> <p>chain ✓</p> <p>hook tackle / block ✓</p> <p>Inside inspection OK</p> <p>electric wiring ✓</p> <p>brake system ✓</p> <p>brake frame screws ✓</p> <p>lift wheel ✓</p> <p>chain guide ✓</p> <p>Final test OK</p> <p>load test ✓</p> <p>chain ✓</p> <p>brake test ✓</p> <p>overload test ✓</p> <p>Overall OK</p> <p>CE - Marking ✓</p> <p>A3 / NEN3140 ✓</p>
<p>Strength</p> <p>Proof load applied: 3,12 kN</p> <p>Working load limit: 250 KG</p> <p>Safety factor: 4:01</p> <p>Manufacturing date: 5/19/2016</p> <p>Date of last test : 6/18/2019</p> <p>* Date notation used : MM/DD/YYYY</p>	
<p>Name and address of supplier: Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</p>	
<p>Signature of competent engineer</p>  <p>Pieter Langen</p>	

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27073
 Certificate Rent-All-number: 268

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 7/9/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27051
Certificate Rent-All-number: 271

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016
Date of last test : 2/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27054*
 Certificate Rent-All-number: *272*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/19/2016*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster
Description:	Chainmaster D8+ 250KG HH. 24 meter
Dimensions:	chain diameter 5,2 x 15 mm parten 1
Material:	steel + aluminium
Heat treatment:	non glowing
Identification number:	G27055
Certificate Rent-All-number:	273

Strength

Proof load applied:	3,12 kN
Working load limit:	250 KG
Safety factor:	4:01

Manufacturing date:	5/19/2016
Date of last test :	2/25/2020
<small>* Date notation used : MM/DD/YYYY</small>	

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27061
Certificate Rent-All-number: 275

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 9/13/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27056
 Certificate Rent-All-number: 276

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 6/16/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27053
 Certificate Rent-All-number: 278

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/19/2016
 Date of last test : 12/19/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27058
Certificate Rent-All-number: 279

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 1/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G27059	power cord	✓
Certificate Rent-All-number:	280	 Regular Test	OK
 <i>Strength</i>		dead end stopper	✓
Proof load applied:	3,12 kN	screw connections	✓
Working load limit:	250 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
		hook tackle / block	✓
 Manufacturing date:	5/19/2016	 Inside inspection	OK
Date of last test :	2/6/2019	electric wiring	✓
<small>* Date notation used :</small>	MM/DD/YYYY	brake system	✓
		brake frame screws	✓
 Name and address of supplier:	 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	lift wheel	✓
		chain guide	✓
 Signature of competent engineer		 Final test	OK
		load test	✓
 Pieter Longen		chain	✓
		brake test	✓
		overload test	✓
		 Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27057*
Certificate Rent-All-number: *281*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/19/2016*

Date of last test : *3/28/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27064
 Certificate Rent-All-number: 282

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/19/2016
 Date of last test : 1/3/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27078
Certificate Rent-All-number: 283

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/19/2016

Date of last test : 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27092
Certificate Rent-All-number: 284

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 4/23/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27089
Certificate Rent-All-number: 287

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27099
 Certificate Rent-All-number: 289

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 10/15/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27095
Certificate Rent-All-number: 290

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27096
 Certificate Rent-All-number: 293

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 1/3/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27093
 Certificate Rent-All-number: 294

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 2/25/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27088
Certificate Rent-All-number: 295

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 12/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27500
Certificate Rent-All-number: 296

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 2/13/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27502
Certificate Rent-All-number: 297

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 5/3/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27509*
 Certificate Rent-All-number: *299*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*

Date of last test : *1/23/2020*

* *Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27492
 Certificate Rent-All-number: 300

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 1/14/2020

** Date notation used :* MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27493
Certificate Rent-All-number: 304

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27505
Certificate Rent-All-number: 305

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 3/16/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27090
Certificate Rent-All-number: 308

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 2/11/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27098
 Certificate Rent-All-number: 311

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 2/11/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27504*
 Certificate Rent-All-number: *312*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*
 Date of last test : *2/20/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27510
Certificate Rent-All-number: 313

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 7/2/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27488*
Certificate Rent-All-number: *314*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/23/2016*

Date of last test : *1/23/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment **Chainmaster**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27507*
Certificate Rent-All-number: *317*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/23/2016*
Date of last test : *5/23/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27503*
 Certificate Rent-All-number: *320*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*
 Date of last test : *5/3/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27490*
Certificate Rent-All-number: *324*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/23/2016*
Date of last test : *3/29/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27813*
Certificate Rent-All-number: *325*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/29/2016*
Date of last test : *2/10/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27808
Certificate Rent-All-number: 326

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 12/3/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27805
 Certificate Rent-All-number: 328

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 6/26/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27815
Certificate Rent-All-number: 329

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016
Date of last test : 2/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test **OK**

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection **OK**

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test **OK**

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall **OK**

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27816
Certificate Rent-All-number: 330

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016
Date of last test : 10/15/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27826
Certificate Rent-All-number: 331

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 7/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27821
Certificate Rent-All-number: 332

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27811*
 Certificate Rent-All-number: *334*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *5/29/2016*
 Date of last test : *3/28/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27825
Certificate Rent-All-number: 336

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27827*
Certificate Rent-All-number: *337*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/29/2016*
Date of last test : *1/30/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27824*
Certificate Rent-All-number: *341*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/29/2016*
Date of last test : *2/25/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27828*
Certificate Rent-All-number: *342*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *5/29/2016*
Date of last test : *9/13/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G27810	power cord	✓
Certificate Rent-All-number:	343		
Strength		Regular Test	OK
Proof load applied:	3,12 kN	dead end stopper	✓
Working load limit:	250 KG	screw connections	✓
Safety factor:	4:01	hook suspension	✓
		chain	✓
		hook tackle / block	✓
Manufacturing date:	5/29/2016		
Date of last test :	3/18/2020	Inside inspection	OK
* Date notation used :	MM/DD/YYYY	electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:		Final test	OK
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands		load test	✓
		chain	✓
Signature of competent engineer		brake test	✓
		overload test	✓
		Overall	OK
Pieter Longen		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27817
 Certificate Rent-All-number: 344

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 5/29/2016
 Date of last test : 3/28/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27807
Certificate Rent-All-number: 347

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 5/29/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27944*
 Certificate Rent-All-number: *351*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *3/17/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27945
Certificate Rent-All-number: 352

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016

Date of last test : 5/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27946*
 Certificate Rent-All-number: *353*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *1/18/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27947*
Certificate Rent-All-number: *354*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *12/4/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27948
 Certificate Rent-All-number: 355

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/20/2016
 Date of last test : 10/16/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27949
 Certificate Rent-All-number: 356

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/20/2016

Date of last test : 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27950*
Certificate Rent-All-number: *357*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *3/12/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

- handles* ✓
- casing* ✓
- chain bag + safety* ✓
- power plug* ✓
- power cord* ✓

Regular Test OK

- dead end stopper* ✓
- screw connections* ✓
- hook suspension* ✓
- chain* ✓
- hook tackle / block* ✓

Inside inspection OK

- electric wiring* ✓
- brake system* ✓
- brake frame screws* ✓
- lift wheel* ✓
- chain guide* ✓

Final test OK

- load test* ✓
- chain* ✓
- brake test* ✓
- overload test* ✓

Overall OK

- CE - Marking* ✓
- A3 / NEN3140* ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27951
Certificate Rent-All-number: 358

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016

Date of last test : 7/22/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G27952*
 Certificate Rent-All-number: *359*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/20/2016*
 Date of last test : *12/20/2019*
 * *Date notation used :* MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27953
Certificate Rent-All-number: 360

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 12/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27979
 Certificate Rent-All-number: 362

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/20/2016
 Date of last test : 10/16/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27985*
Certificate Rent-All-number: *368*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *11/20/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer


Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27986*
Certificate Rent-All-number: *369*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *10/15/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27987
 Certificate Rent-All-number: 370

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/20/2016
 Date of last test : 1/3/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27990*
Certificate Rent-All-number: *373*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *1/10/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27992
Certificate Rent-All-number: 375

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 12/20/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27976*
Certificate Rent-All-number: *376*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *2/25/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27977
Certificate Rent-All-number: 377

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 7/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27956
Certificate Rent-All-number: 379

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 6/26/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27957
Certificate Rent-All-number: 380

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 12/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27965
Certificate Rent-All-number: 388

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016
Date of last test : 12/23/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27966
Certificate Rent-All-number: 389

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016

Date of last test : 8/9/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G27967
Certificate Rent-All-number: 390

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/20/2016

Date of last test : 7/31/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27969*
Certificate Rent-All-number: *392*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *1/3/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G27970
 Certificate Rent-All-number: 393

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/20/2016
 Date of last test : 5/3/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27971*
Certificate Rent-All-number: *394*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *1/14/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27975*
Certificate Rent-All-number: *398*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*

Date of last test : *2/11/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G27978*
Certificate Rent-All-number: *399*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/20/2016*
Date of last test : *2/11/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28365
Certificate Rent-All-number: 401

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G28366*
Certificate Rent-All-number: *402*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/23/2016*
Date of last test : *5/28/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G28371
 Certificate Rent-All-number: 407

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/23/2016
 Date of last test : 2/6/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G28372
 Certificate Rent-All-number: 408

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28376*
 Certificate Rent-All-number: *412*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*
 Date of last test : *5/8/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28380
Certificate Rent-All-number: 416

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 2/20/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28381*
 Certificate Rent-All-number: *417*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*
 Date of last test : *9/6/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28382
Certificate Rent-All-number: 418

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016
Date of last test : 6/18/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28385
Certificate Rent-All-number: 421

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28388*
 Certificate Rent-All-number: *424*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*

Date of last test : *3/29/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28391
Certificate Rent-All-number: 427

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28393
Certificate Rent-All-number: 429

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016
Date of last test : 10/16/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28395
Certificate Rent-All-number: 431

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28396
Certificate Rent-All-number: 432

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28397
Certificate Rent-All-number: 433

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 4/4/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G28398
 Certificate Rent-All-number: 434

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 6/23/2016
 Date of last test : 5/3/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G28400*
Certificate Rent-All-number: *436*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *6/23/2016*
Date of last test : *2/6/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28405*
 Certificate Rent-All-number: *441*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*
 Date of last test : *7/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28406*
 Certificate Rent-All-number: *442*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*
 Date of last test : *1/22/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G28408
Certificate Rent-All-number: 444

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 6/23/2016

Date of last test : 6/11/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G28411*
 Certificate Rent-All-number: *447*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *6/23/2016*
 Date of last test : *3/18/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G30761
Certificate Rent-All-number: 450

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 1/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G30762
 Certificate Rent-All-number: 451

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/10/2016
 Date of last test : 1/10/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G30763*
Certificate Rent-All-number: *452*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/10/2016*

Date of last test : *3/16/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31181
Certificate Rent-All-number: 454

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 9/13/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G31183	power cord	✓
Certificate Rent-All-number:	456		
Strength		Regular Test	OK
Proof load applied:	3,12 kN	dead end stopper	✓
Working load limit:	250 KG	screw connections	✓
Safety factor:	4:01	hook suspension	✓
		chain	✓
		hook tackle / block	✓
Manufacturing date:	8/10/2016		
Date of last test :	10/16/2019	Inside inspection	OK
* Date notation used :	MM/DD/YYYY	electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:			
	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	Final test	OK
Signature of competent engineer		load test	✓
		chain	✓
		brake test	✓
		overload test	✓
Pieter Longen		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31184
Certificate Rent-All-number: 457

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 7/22/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31185*
 Certificate Rent-All-number: *458*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *10/11/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31189*
 Certificate Rent-All-number: *462*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *11/14/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31190
Certificate Rent-All-number: 463

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 9/18/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31191
Certificate Rent-All-number: 464

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 1/15/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31192*
 Certificate Rent-All-number: *465*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *3/29/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31193*
 Certificate Rent-All-number: *466*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *9/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31194*
 Certificate Rent-All-number: *467*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *11/20/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G31197
 Certificate Rent-All-number: 470

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/10/2016
 Date of last test : 6/18/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G31198*
Certificate Rent-All-number: *471*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/10/2016*

Date of last test : *7/9/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G31199*
Certificate Rent-All-number: *472*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/10/2016*

Date of last test : *6/26/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31201
Certificate Rent-All-number: 474

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 5/23/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31202
Certificate Rent-All-number: 475

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 8/23/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31204
Certificate Rent-All-number: 477

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 7/31/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31205
Certificate Rent-All-number: 478

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 10/16/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31208
Certificate Rent-All-number: 481

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 9/6/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G31209
 Certificate Rent-All-number: 482

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/10/2016
 Date of last test : 10/31/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31211*
 Certificate Rent-All-number: *484*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *1/15/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31212*
 Certificate Rent-All-number: *485*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *3/12/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G31216
 Certificate Rent-All-number: 489

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 8/10/2016
 Date of last test : 10/16/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31217
Certificate Rent-All-number: 490

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 3/17/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G31218*
Certificate Rent-All-number: *491*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *8/10/2016*
Date of last test : *9/13/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31598
Certificate Rent-All-number: 492

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31600
Certificate Rent-All-number: 494

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016

Date of last test : 12/4/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31602*
 Certificate Rent-All-number: *496*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*
 Date of last test : *12/20/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G31603*
 Certificate Rent-All-number: *497*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *8/10/2016*

Date of last test : *9/4/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G31604
Certificate Rent-All-number: 498

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 8/10/2016
Date of last test : 9/12/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32584*
 Certificate Rent-All-number: *507*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *10/16/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32585
 Certificate Rent-All-number: 508

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 4/5/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32586*
Certificate Rent-All-number: *509*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *9/25/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32589
Certificate Rent-All-number: 512

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 1/23/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32590*
Certificate Rent-All-number: *513*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *3/28/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33095
 Certificate Rent-All-number: 516

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32594*
Certificate Rent-All-number: *517*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *1/14/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32601*
 Certificate Rent-All-number: *524*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *2/24/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32602*
Certificate Rent-All-number: *525*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *12/6/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32603
 Certificate Rent-All-number: 526

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 11/14/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test OK

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall OK

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	<i>Chainmaster</i>
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>
Material:	<i>steel + aluminium</i>
Heat treatment:	<i>non glowing</i>
Identification number:	<i>G32608</i>
Certificate Rent-All-number:	<i>531</i>

Strength

Proof load applied:	<i>3,12 kN</i>
Working load limit:	<i>250 KG</i>
Safety factor:	<i>4:01</i>

Manufacturing date:	<i>9/1/2016</i>
Date of last test :	<i>3/16/2020</i>

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	

Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	

Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	

Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	

Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32609*
Certificate Rent-All-number: *532*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *10/16/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32611*
 Certificate Rent-All-number: *534*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *9/25/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32612
 Certificate Rent-All-number: 535

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016

Date of last test : 2/5/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test OK

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall OK

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32613
Certificate Rent-All-number: 536

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32615*
 Certificate Rent-All-number: *538*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *7/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
 Regular Test	 OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
 Inside inspection	 OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
 Final test	 OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
 Overall	 OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32618
Certificate Rent-All-number: 541

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 2/24/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32620
 Certificate Rent-All-number: 543

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 12/3/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32621*
Certificate Rent-All-number: *544*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *10/11/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32622
 Certificate Rent-All-number: 545

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 5/3/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32625*
Certificate Rent-All-number: *548*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *6/18/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Langen

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32631*
 Certificate Rent-All-number: *554*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *9/19/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32633
Certificate Rent-All-number: 556

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32636
Certificate Rent-All-number: 558

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 1/15/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32638
Certificate Rent-All-number: 561

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 9/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32639
 Certificate Rent-All-number: 562

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 1/21/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>	<i>handles</i>	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	<i>casing</i>	✓
Material:	<i>steel + aluminium</i>	<i>chain bag + safety</i>	✓
Heat treatment:	<i>non glowing</i>	<i>power plug</i>	✓
Identification number:	<i>G32640</i>	<i>power cord</i>	✓
Certificate Rent-All-number:	<i>563</i>	 Regular Test	OK
 Strength		<i>dead end stopper</i>	✓
Proof load applied:	<i>3,12 kN</i>	<i>screw connections</i>	✓
Working load limit:	<i>250 KG</i>	<i>hook suspension</i>	✓
Safety factor:	<i>4:01</i>	<i>chain</i>	✓
 Manufacturing date:	<i>9/1/2016</i>	<i>hook tackle / block</i>	✓
Date of last test :	<i>2/20/2020</i>	 Inside inspection	OK
* Date notation used :	<i>MM/DD/YYYY</i>	<i>electric wiring</i>	✓
 Name and address of supplier:	<i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i>	<i>brake system</i>	✓
 Signature of competent engineer	 	<i>brake frame screws</i>	✓
 <i>Pieter Longen</i>		<i>lift wheel</i>	✓
		<i>chain guide</i>	✓
		 Final test	OK
		<i>load test</i>	✓
		<i>chain</i>	✓
		<i>brake test</i>	✓
		<i>overload test</i>	✓
		 Overall	OK
		<i>CE - Marking</i>	✓
		<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G32641
Certificate Rent-All-number: 564

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 6/18/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 250KG HH. 24 meter

Dimensions: chain diameter 5,2 x 15 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G32642

Certificate Rent-All-number: 565

Strength

Proof load applied: 3,12 kN

Working load limit: 250 KG

Safety factor: 4:01

Manufacturing date: 9/1/2016

Date of last test : 1/21/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK

handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test OK

dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection OK

electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test OK

load test	✓
chain	✓
brake test	✓
overload test	✓

Overall OK

CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G32643*
 Certificate Rent-All-number: *566*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*

Date of last test : *5/1/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G32646*
Certificate Rent-All-number: *569*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *10/16/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32648
 Certificate Rent-All-number: 571

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 2/5/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32650
 Certificate Rent-All-number: 573

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 3/17/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G32651
 Certificate Rent-All-number: 574

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 11/14/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G33071
Certificate Rent-All-number: 576

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2016
Date of last test : 1/27/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G33073*
Certificate Rent-All-number: *578*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *7/19/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G33079*
 Certificate Rent-All-number: *584*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*

Date of last test : *5/17/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33081
 Certificate Rent-All-number: 586

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 9/22/2017
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


 Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G33082*
 Certificate Rent-All-number: *587*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *5/9/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G33083*
 Certificate Rent-All-number: *588*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *10/11/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G33086*
 Certificate Rent-All-number: *591*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2016*
 Date of last test : *1/14/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer


Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33087
 Certificate Rent-All-number: 592

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016

Date of last test : 8/9/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G33088*
Certificate Rent-All-number: *593*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2016*
Date of last test : *12/6/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33089
 Certificate Rent-All-number: 594

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 7/19/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33090
 Certificate Rent-All-number: 595

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 7/31/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33093
 Certificate Rent-All-number: 598

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 4/4/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G33094
 Certificate Rent-All-number: 599

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2016
 Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G34117
 Certificate Rent-All-number: 600

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/12/2016
 Date of last test : 7/22/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

<p>Manufacturer: <i>Chainmaster</i></p> <p>Description: <i>Chainmaster D8+ 250KG HH. 24 meter</i></p> <p>Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i></p> <p>Material: <i>steel + aluminium</i></p> <p>Heat treatment: <i>non glowing</i></p> <p>Identification number: <i>G34090</i></p> <p>Certificate Rent-All-number: <i>601</i></p> <p>Strength</p> <p>Proof load applied: <i>3,12 kN</i></p> <p>Working load limit: <i>250 KG</i></p> <p>Safety factor: <i>4:01</i></p> <p>Manufacturing date: <i>9/12/2016</i></p> <p>Date of last test : <i>1/23/2020</i></p> <p><small>* Date notation used :</small> <i>MM/DD/YYYY</i></p> <p>Name and address of supplier:</p> <p><i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i></p> <p>Signature of competent engineer</p>  <p><i>Pieter Langen</i></p>	<p>Hoist parts and access. OK</p> <p><i>handles</i> ✓</p> <p><i>casing</i> ✓</p> <p><i>chain bag + safety</i> ✓</p> <p><i>power plug</i> ✓</p> <p><i>power cord</i> ✓</p> <p>Regular Test OK</p> <p><i>dead end stopper</i> ✓</p> <p><i>screw connections</i> ✓</p> <p><i>hook suspension</i> ✓</p> <p><i>chain</i> ✓</p> <p><i>hook tackle / block</i> ✓</p> <p>Inside inspection OK</p> <p><i>electric wiring</i> ✓</p> <p><i>brake system</i> ✓</p> <p><i>brake frame screws</i> ✓</p> <p><i>lift wheel</i> ✓</p> <p><i>chain guide</i> ✓</p> <p>Final test OK</p> <p><i>load test</i> ✓</p> <p><i>chain</i> ✓</p> <p><i>brake test</i> ✓</p> <p><i>overload test</i> ✓</p> <p>Overall OK</p> <p><i>CE - Marking</i> ✓</p> <p><i>A3 / NEN3140</i> ✓</p>
--	--

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.


Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G34106*
 Certificate Rent-All-number: *603*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/12/2016*
 Date of last test : *1/15/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34097
Certificate Rent-All-number: 604

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34088
Certificate Rent-All-number: 605

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34087
Certificate Rent-All-number: 606

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 9/22/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G34100
 Certificate Rent-All-number: 607

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/12/2016
 Date of last test : 11/1/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test OK

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall OK

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34099
Certificate Rent-All-number: 608

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 3/29/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G34091*
 Certificate Rent-All-number: *611*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/12/2016*
 Date of last test : *7/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

BEEMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEEMEL • AMSTERDAM • NÜRNBERG • LIER • BEEMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEEMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEEMEL • AMSTERDAM

Certificate of hoisting equipment **Chainmaster**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34111*
Certificate Rent-All-number: *612*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*
Date of last test : *9/13/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34124*
Certificate Rent-All-number: *614*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*

Date of last test : *6/26/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34110
Certificate Rent-All-number: 615

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 12/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34120
Certificate Rent-All-number: 616

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 9/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	<i>Chainmaster</i>
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>
Material:	<i>steel + aluminium</i>
Heat treatment:	<i>non glowing</i>
Identification number:	<i>G34122</i>
Certificate Rent-All-number:	<i>618</i>

Strength

Proof load applied:	<i>3,12 kN</i>
Working load limit:	<i>250 KG</i>
Safety factor:	<i>4:01</i>

Manufacturing date: *9/12/2016*

Date of last test : *1/3/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34131
Certificate Rent-All-number: 619

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 2/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34108*
Certificate Rent-All-number: *621*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*
Date of last test : *1/10/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34129
Certificate Rent-All-number: 622

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 2/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34132*
Certificate Rent-All-number: *623*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*
Date of last test : *11/1/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34113
Certificate Rent-All-number: 625

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G34114*
 Certificate Rent-All-number: *626*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/12/2016*
 Date of last test : *5/1/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34121
Certificate Rent-All-number: 627

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 2/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34134
Certificate Rent-All-number: 628

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016
Date of last test : 9/6/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G34119
 Certificate Rent-All-number: 630

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/12/2016
 Date of last test : 2/11/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G34130
 Certificate Rent-All-number: 634

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/12/2016
 Date of last test : 12/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34089
Certificate Rent-All-number: 638

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 12/3/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G34102	power cord	✓
Certificate Rent-All-number:	639		
		Regular Test	OK
Strength		dead end stopper	✓
Proof load applied:	3,12 kN	screw connections	✓
Working load limit:	250 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
		hook tackle / block	✓
Manufacturing date:	9/12/2016		
Date of last test :	1/3/2020	Inside inspection	OK
<i>* Date notation used :</i>	MM/DD/YYYY	electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands		
Signature of competent engineer			
	<p>Pieter Langen</p>		
		Final test	OK
		load test	✓
		chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G34096
 Certificate Rent-All-number: 640

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/12/2016
 Date of last test : 9/12/2016
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34105*
Certificate Rent-All-number: *642*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*

Date of last test : *6/26/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34098*
Certificate Rent-All-number: *645*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/12/2016*

Date of last test : *12/3/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34104
Certificate Rent-All-number: 646

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/12/2016

Date of last test : 1/30/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G34907*
Certificate Rent-All-number: *650*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/9/2017*
Date of last test : *2/11/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G34901*
 Certificate Rent-All-number: *652*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/9/2017*
 Date of last test : *1/3/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34908
Certificate Rent-All-number: 653

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/9/2017
Date of last test : 10/16/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34906
Certificate Rent-All-number: 656

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/9/2017
Date of last test : 1/14/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G34903*
 Certificate Rent-All-number: *657*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/9/2017*
 Date of last test : *2/20/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test **OK**

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection **OK**

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test **OK**

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall **OK**

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G34910
Certificate Rent-All-number: 658

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/9/2017
Date of last test : 2/11/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G39296*
Certificate Rent-All-number: *665*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/13/2017*

Date of last test : *1/3/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G39317
 Certificate Rent-All-number: 667

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/13/2017

Date of last test : 1/27/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G39314
 Certificate Rent-All-number: 668

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/13/2017
 Date of last test : 5/3/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39308
Certificate Rent-All-number: 669

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017
Date of last test : 2/20/2020
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G39297*
Certificate Rent-All-number: *671*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/13/2017*

Date of last test : *6/11/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39293
Certificate Rent-All-number: 672

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017
Date of last test : 3/17/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39287
Certificate Rent-All-number: 673

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment *Chainmaster*

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G39284*
 Certificate Rent-All-number: *674*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/13/2017*
 Date of last test : *1/18/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39283
Certificate Rent-All-number: 675

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39285
Certificate Rent-All-number: 676

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017

Date of last test : 6/12/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G39291*
 Certificate Rent-All-number: *678*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/13/2017*

Date of last test : *1/10/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G39292*
Certificate Rent-All-number: *679*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/13/2017*
Date of last test : *12/20/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39309
Certificate Rent-All-number: 683

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/13/2017

Date of last test : 2/14/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G39286*
Certificate Rent-All-number: *687*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/13/2017*
Date of last test : *12/20/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G39312
 Certificate Rent-All-number: 689

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/13/2017
 Date of last test : 12/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39300
Certificate Rent-All-number: 691

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 3/6/2017
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G39305
Certificate Rent-All-number: 693

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 3/6/2017
Date of last test : 1/10/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G39304
 Certificate Rent-All-number: 694

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 3/6/2017
 Date of last test : 3/29/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H27077*
Certificate Rent-All-number: *696*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *4/7/2017*
Date of last test : *6/11/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H27079
Certificate Rent-All-number: 698

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/7/2017
Date of last test : 1/27/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H27089
Certificate Rent-All-number: 700

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/7/2017
Date of last test : 2/13/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H27090
Certificate Rent-All-number: 701

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/7/2017
Date of last test : 2/25/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H27081*
Certificate Rent-All-number: *703*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*

Date of last test : *1/2/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H27083
Certificate Rent-All-number: 705

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 3/12/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H27084*
Certificate Rent-All-number: *706*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *12/19/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H27085*
Certificate Rent-All-number: *707*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *2/6/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H27086
 Certificate Rent-All-number: 708

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test : 9/6/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H27087*
 Certificate Rent-All-number: *709*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *9/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H27093
 Certificate Rent-All-number: 712

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 1/15/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33511
 Certificate Rent-All-number: 715

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 3/12/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33513
Certificate Rent-All-number: 717

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test : 4/5/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33515
 Certificate Rent-All-number: 719

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 10/31/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


 Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H33516*
Certificate Rent-All-number: *720*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *1/10/2020*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33517
 Certificate Rent-All-number: 721

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 1/3/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33518
Certificate Rent-All-number: 722

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 2/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33521
 Certificate Rent-All-number: 725

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 3/29/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33522
 Certificate Rent-All-number: 726

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 12/11/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33523
Certificate Rent-All-number: 727

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 3/29/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33526*
 Certificate Rent-All-number: *730*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *3/18/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✔
casing	✔
chain bag + safety	✔
power plug	✔
power cord	✔
Regular Test	OK
dead end stopper	✔
screw connections	✔
hook suspension	✔
chain	✔
hook tackle / block	✔
Inside inspection	OK
electric wiring	✔
brake system	✔
brake frame screws	✔
lift wheel	✔
chain guide	✔
Final test	OK
load test	✔
chain	✔
brake test	✔
overload test	✔
Overall	OK
CE - Marking	✔
A3 / NEN3140	✔

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33529
Certificate Rent-All-number: 733

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 10/11/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33531
Certificate Rent-All-number: 735

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 1/15/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>	handles	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	casing	✓
Material:	<i>steel + aluminium</i>	chain bag + safety	✓
Heat treatment:	<i>non glowing</i>	power plug	✓
Identification number:	<i>H33532</i>	power cord	✓
Certificate Rent-All-number:	<i>736</i>	Regular Test	OK
 		dead end stopper	✓
Strength		screw connections	✓
Proof load applied:	<i>3,12 kN</i>	hook suspension	✓
Working load limit:	<i>250 KG</i>	chain	✓
Safety factor:	<i>4:01</i>	hook tackle / block	✓
 		Inside inspection	OK
Manufacturing date:	<i>9/1/2017</i>	electric wiring	✓
Date of last test :	<i>1/22/2019</i>	brake system	✓
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	brake frame screws	✓
		lift wheel	✓
		chain guide	✓
 		Final test	OK
Name and address of supplier:	<i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i>	load test	✓
 		chain	✓
Signature of competent engineer		brake test	✓
 		overload test	✓
		Overall	OK
 		CE - Marking	✓
<i>Pieter Langen</i>		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33534
 Certificate Rent-All-number: 738

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 7/22/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H33537
 Certificate Rent-All-number: 741

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 9/1/2017
 Date of last test : 1/10/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H33538*
Certificate Rent-All-number: *742*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *1/3/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33540*
 Certificate Rent-All-number: *744*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *1/10/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33541
Certificate Rent-All-number: 745

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test : 1/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H33542*
Certificate Rent-All-number: *746*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *12/20/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment **Chainmaster**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33544*
 Certificate Rent-All-number: *748*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *10/16/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H33545*
Certificate Rent-All-number: *749*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *1/15/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**

- handles* ✓
- casing* ✓
- chain bag + safety* ✓
- power plug* ✓
- power cord* ✓

Regular Test **OK**

- dead end stopper* ✓
- screw connections* ✓
- hook suspension* ✓
- chain* ✓
- hook tackle / block* ✓

Inside inspection **OK**

- electric wiring* ✓
- brake system* ✓
- brake frame screws* ✓
- lift wheel* ✓
- chain guide* ✓

Final test **OK**

- load test* ✓
- chain* ✓
- brake test* ✓
- overload test* ✓

Overall **OK**

- CE - Marking* ✓
- A3 / NEN3140* ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33549*
 Certificate Rent-All-number: *753*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *1/23/2020*
 * *Date notation used :* MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H33551*
Certificate Rent-All-number: *755*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2017*
Date of last test : *1/14/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33554*
 Certificate Rent-All-number: *758*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *1/14/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33555
Certificate Rent-All-number: 759

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H33556
Certificate Rent-All-number: 760

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test : 7/4/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H33557*
 Certificate Rent-All-number: *761*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *9/1/2017*
 Date of last test : *1/14/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38601
 Certificate Rent-All-number: 764

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 3/29/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38607*
 Certificate Rent-All-number: *766*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *11/1/2017*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38614
Certificate Rent-All-number: 769

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38615
Certificate Rent-All-number: 770

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 3/12/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38616*
 Certificate Rent-All-number: *771*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *6/18/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38618
Certificate Rent-All-number: 773

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 1/10/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38620
Certificate Rent-All-number: 775

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 5/3/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38622
Certificate Rent-All-number: 777

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 5/1/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 250KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	H38626	power cord	✓
Certificate Rent-All-number:	781		
Strength		Regular Test	OK
Proof load applied:	3,12 kN	dead end stopper	✓
Working load limit:	250 KG	screw connections	✓
Safety factor:	4:01	hook suspension	✓
		chain	✓
		hook tackle / block	✓
Manufacturing date:	11/1/2017		
Date of last test :	8/9/2019	Inside inspection	OK
* Date notation used :	MM/DD/YYYY	electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands	Final test	OK
Signature of competent engineer		load test	✓
		chain	✓
<i>Pieter Langen</i>		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38627
Certificate Rent-All-number: 782

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 1/25/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38628
 Certificate Rent-All-number: 783

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 10/31/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38630*
 Certificate Rent-All-number: *785*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *10/16/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment **Chainmaster**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38631*
 Certificate Rent-All-number: *786*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *2/4/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38632*
 Certificate Rent-All-number: *787*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *11/1/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38633
 Certificate Rent-All-number: 788

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 1/27/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**

CE - Marking ✓
 A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38635*
 Certificate Rent-All-number: *790*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *9/6/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38636
 Certificate Rent-All-number: 791

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 9/13/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38639
Certificate Rent-All-number: 794

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 11/1/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38640*
Certificate Rent-All-number: *795*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*
Date of last test : *10/31/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38643*
Certificate Rent-All-number: *798*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*
Date of last test : *1/15/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38645
 Certificate Rent-All-number: 800

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 1/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38646*
 Certificate Rent-All-number: *801*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *7/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

- handles ✓
- casing ✓
- chain bag + safety ✓
- power plug ✓
- power cord ✓

Regular Test **OK**

- dead end stopper ✓
- screw connections ✓
- hook suspension ✓
- chain ✓
- hook tackle / block ✓

Inside inspection **OK**

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test **OK**

- load test ✓
- chain ✓
- brake test ✓
- overload test ✓

Overall **OK**

- CE - Marking ✓
- A3 / NEN3140 ✓

Certificate of hoisting equipment *Chainmaster*

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	
Description:	Chainmaster D8+ 250KG HH. 24 meter	Hoist parts and access. OK
Dimensions:	chain diameter 5,2 x 15 mm parten 1	handles ✓
Material:	steel + aluminium	casing ✓
Heat treatment:	non glowing	chain bag + safety ✓
Identification number:	H38647	power plug ✓
Certificate Rent-All-number:	802	power cord ✓
Strength		Regular Test OK
Proof load applied:	3,12 kN	dead end stopper ✓
Working load limit:	250 KG	screw connections ✓
Safety factor:	4:01	hook suspension ✓
		chain ✓
		hook tackle / block ✓
Manufacturing date:	11/1/2017	Inside inspection OK
Date of last test :	6/18/2019	electric wiring ✓
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	brake system ✓
		brake frame screws ✓
		lift wheel ✓
		chain guide ✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	Final test OK
 		load test ✓
Signature of competent engineer		chain ✓
	Pieter Langen	brake test ✓
		overload test ✓
		Overall OK
		CE - Marking ✓
		A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38648
Certificate Rent-All-number: 803

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 11/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38649
Certificate Rent-All-number: 804

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 11/7/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38974
Certificate Rent-All-number: 807

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 10/31/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38976*
Certificate Rent-All-number: *809*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *3/17/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38978
 Certificate Rent-All-number: 811

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 2/13/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38979*
Certificate Rent-All-number: *812*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *1/14/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38980*
Certificate Rent-All-number: *813*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *7/22/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38983*
Certificate Rent-All-number: *816*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *5/3/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38985*
 Certificate Rent-All-number: *818*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*






















Manufacturing date: *11/1/2017*
 Date of last test : *1/23/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38988
 Certificate Rent-All-number: 821

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 1/15/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38990
 Certificate Rent-All-number: 823

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 1/23/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38993*
Certificate Rent-All-number: *826*

Strength
Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*
Date of last test : *8/16/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H38994
 Certificate Rent-All-number: 827

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 11/1/2017
 Date of last test : 1/10/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38995*
 Certificate Rent-All-number: *828*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*
 Date of last test : *10/11/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38996
Certificate Rent-All-number: 829

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 11/1/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38997*
Certificate Rent-All-number: *830*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*
Date of last test : *1/3/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H38998*
Certificate Rent-All-number: *831*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*
Date of last test : *5/17/2019*
* Date notation used : *MM/DD/YYYY*






















Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	
Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	
Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	
Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	
Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: <i>Chainmaster</i> Description: <i>Chainmaster D8+ 250KG HH. 24 meter</i> Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i> Material: <i>steel + aluminium</i> Heat treatment: <i>non glowing</i> Identification number: <i>H38999</i> Certificate Rent-All-number: <i>832</i>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Hoist parts and access.</td> <td style="text-align: right; padding: 5px;">OK</td> </tr> <tr> <td style="padding: 2px 5px;"><i>handles</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>casing</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>chain bag + safety</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>power plug</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>power cord</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 5px;">Regular Test</td> <td style="text-align: right; padding: 5px;">OK</td> </tr> <tr> <td style="padding: 2px 5px;"><i>dead end stopper</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>screw connections</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>hook suspension</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>chain</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>hook tackle / block</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 5px;">Inside inspection</td> <td style="text-align: right; padding: 5px;">OK</td> </tr> <tr> <td style="padding: 2px 5px;"><i>electric wiring</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>brake system</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>brake frame screws</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>lift wheel</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>chain guide</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 5px;">Final test</td> <td style="text-align: right; padding: 5px;">OK</td> </tr> <tr> <td style="padding: 2px 5px;"><i>load test</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>chain</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>brake test</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>overload test</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 5px;">Overall</td> <td style="text-align: right; padding: 5px;">OK</td> </tr> <tr> <td style="padding: 2px 5px;"><i>CE - Marking</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> <tr> <td style="padding: 2px 5px;"><i>A3 / NEN3140</i></td> <td style="text-align: right; padding: 2px 5px;">✓</td> </tr> </table>	Hoist parts and access.	OK	<i>handles</i>	✓	<i>casing</i>	✓	<i>chain bag + safety</i>	✓	<i>power plug</i>	✓	<i>power cord</i>	✓	Regular Test	OK	<i>dead end stopper</i>	✓	<i>screw connections</i>	✓	<i>hook suspension</i>	✓	<i>chain</i>	✓	<i>hook tackle / block</i>	✓	Inside inspection	OK	<i>electric wiring</i>	✓	<i>brake system</i>	✓	<i>brake frame screws</i>	✓	<i>lift wheel</i>	✓	<i>chain guide</i>	✓	Final test	OK	<i>load test</i>	✓	<i>chain</i>	✓	<i>brake test</i>	✓	<i>overload test</i>	✓	Overall	OK	<i>CE - Marking</i>	✓	<i>A3 / NEN3140</i>	✓
Hoist parts and access.	OK																																																				
<i>handles</i>	✓																																																				
<i>casing</i>	✓																																																				
<i>chain bag + safety</i>	✓																																																				
<i>power plug</i>	✓																																																				
<i>power cord</i>	✓																																																				
Regular Test	OK																																																				
<i>dead end stopper</i>	✓																																																				
<i>screw connections</i>	✓																																																				
<i>hook suspension</i>	✓																																																				
<i>chain</i>	✓																																																				
<i>hook tackle / block</i>	✓																																																				
Inside inspection	OK																																																				
<i>electric wiring</i>	✓																																																				
<i>brake system</i>	✓																																																				
<i>brake frame screws</i>	✓																																																				
<i>lift wheel</i>	✓																																																				
<i>chain guide</i>	✓																																																				
Final test	OK																																																				
<i>load test</i>	✓																																																				
<i>chain</i>	✓																																																				
<i>brake test</i>	✓																																																				
<i>overload test</i>	✓																																																				
Overall	OK																																																				
<i>CE - Marking</i>	✓																																																				
<i>A3 / NEN3140</i>	✓																																																				
Strength Proof load applied: <i>3,12 kN</i> Working load limit: <i>250 KG</i> Safety factor: <i>4:01</i>																																																					
Manufacturing date: <i>11/1/2017</i> Date of last test : <i>12/3/2019</i> <i>* Date notation used : MM/DD/YYYY</i>																																																					
Name and address of supplier: <i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i>																																																					
Signature of competent engineer  <i>Pieter Longen</i>																																																					

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39002
Certificate Rent-All-number: 835

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 9/6/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39003
Certificate Rent-All-number: 836

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 11/14/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment *Chainmaster*

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	Chainmaster	<table border="0"> <tr><td>Hoist parts and access.</td><td>OK</td></tr> <tr><td><i>handles</i></td><td>✓</td></tr> <tr><td><i>casing</i></td><td>✓</td></tr> <tr><td><i>chain bag + safety</i></td><td>✓</td></tr> <tr><td><i>power plug</i></td><td>✓</td></tr> <tr><td><i>power cord</i></td><td>✓</td></tr> <tr><td>Regular Test</td><td>OK</td></tr> <tr><td><i>dead end stopper</i></td><td>✓</td></tr> <tr><td><i>screw connections</i></td><td>✓</td></tr> <tr><td><i>hook suspension</i></td><td>✓</td></tr> <tr><td><i>chain</i></td><td>✓</td></tr> <tr><td><i>hook tackle / block</i></td><td>✓</td></tr> <tr><td>Inside inspection</td><td>OK</td></tr> <tr><td><i>electric wiring</i></td><td>✓</td></tr> <tr><td><i>brake system</i></td><td>✓</td></tr> <tr><td><i>brake frame screws</i></td><td>✓</td></tr> <tr><td><i>lift wheel</i></td><td>✓</td></tr> <tr><td><i>chain guide</i></td><td>✓</td></tr> <tr><td>Final test</td><td>OK</td></tr> <tr><td><i>load test</i></td><td>✓</td></tr> <tr><td><i>chain</i></td><td>✓</td></tr> <tr><td><i>brake test</i></td><td>✓</td></tr> <tr><td><i>overload test</i></td><td>✓</td></tr> <tr><td>Overall</td><td>OK</td></tr> <tr><td><i>CE - Marking</i></td><td>✓</td></tr> <tr><td><i>A3 / NEN3140</i></td><td>✓</td></tr> </table>	Hoist parts and access.	OK	<i>handles</i>	✓	<i>casing</i>	✓	<i>chain bag + safety</i>	✓	<i>power plug</i>	✓	<i>power cord</i>	✓	Regular Test	OK	<i>dead end stopper</i>	✓	<i>screw connections</i>	✓	<i>hook suspension</i>	✓	<i>chain</i>	✓	<i>hook tackle / block</i>	✓	Inside inspection	OK	<i>electric wiring</i>	✓	<i>brake system</i>	✓	<i>brake frame screws</i>	✓	<i>lift wheel</i>	✓	<i>chain guide</i>	✓	Final test	OK	<i>load test</i>	✓	<i>chain</i>	✓	<i>brake test</i>	✓	<i>overload test</i>	✓	Overall	OK	<i>CE - Marking</i>	✓	<i>A3 / NEN3140</i>	✓
Hoist parts and access.	OK																																																					
<i>handles</i>	✓																																																					
<i>casing</i>	✓																																																					
<i>chain bag + safety</i>	✓																																																					
<i>power plug</i>	✓																																																					
<i>power cord</i>	✓																																																					
Regular Test	OK																																																					
<i>dead end stopper</i>	✓																																																					
<i>screw connections</i>	✓																																																					
<i>hook suspension</i>	✓																																																					
<i>chain</i>	✓																																																					
<i>hook tackle / block</i>	✓																																																					
Inside inspection	OK																																																					
<i>electric wiring</i>	✓																																																					
<i>brake system</i>	✓																																																					
<i>brake frame screws</i>	✓																																																					
<i>lift wheel</i>	✓																																																					
<i>chain guide</i>	✓																																																					
Final test	OK																																																					
<i>load test</i>	✓																																																					
<i>chain</i>	✓																																																					
<i>brake test</i>	✓																																																					
<i>overload test</i>	✓																																																					
Overall	OK																																																					
<i>CE - Marking</i>	✓																																																					
<i>A3 / NEN3140</i>	✓																																																					
Description:	Chainmaster D8+ 250KG HH. 24 meter																																																					
Dimensions:	chain diameter 5,2 x 15 mm parten 1																																																					
Material:	steel + aluminium																																																					
Heat treatment:	non glowing																																																					
Identification number:	H39004																																																					
Certificate Rent-All-number:	837																																																					
Strength																																																						
Proof load applied:	3,12 kN																																																					
Working load limit:	250 KG																																																					
Safety factor:	4:01																																																					
Manufacturing date:	11/1/2017																																																					
Date of last test :	1/3/2020																																																					
* Date notation used :	MM/DD/YYYY																																																					
Name and address of supplier:																																																						
	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands																																																					
Signature of competent engineer																																																						
																																																						
Pieter Longen																																																						

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39006
Certificate Rent-All-number: 839

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 2/14/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H39010*
 Certificate Rent-All-number: *843*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *7/19/2019*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	<i>✓</i>
<i>casing</i>	<i>✓</i>
<i>chain bag + safety</i>	<i>✓</i>
<i>power plug</i>	<i>✓</i>
<i>power cord</i>	<i>✓</i>
 Regular Test	 OK
<i>dead end stopper</i>	<i>✓</i>
<i>screw connections</i>	<i>✓</i>
<i>hook suspension</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>hook tackle / block</i>	<i>✓</i>
 Inside inspection	 OK
<i>electric wiring</i>	<i>✓</i>
<i>brake system</i>	<i>✓</i>
<i>brake frame screws</i>	<i>✓</i>
<i>lift wheel</i>	<i>✓</i>
<i>chain guide</i>	<i>✓</i>
 Final test	 OK
<i>load test</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>brake test</i>	<i>✓</i>
<i>overload test</i>	<i>✓</i>
 Overall	 OK
<i>CE - Marking</i>	<i>✓</i>
<i>A3 / NEN3140</i>	<i>✓</i>

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39013
Certificate Rent-All-number: 846

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017
Date of last test : 12/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39016
Certificate Rent-All-number: 849

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/1/2017

Date of last test : 12/4/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39017*
Certificate Rent-All-number: *850*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *11/1/2017*

Date of last test : *5/3/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H38602*
 Certificate Rent-All-number: *856*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *11/9/2017*
 Date of last test : *1/14/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H38604
Certificate Rent-All-number: 857

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 11/9/2017
Date of last test : 1/3/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39320*
Certificate Rent-All-number: *865*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *2/28/2018*

Date of last test : *2/7/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 250KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H39325*
 Certificate Rent-All-number: *867*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *2/28/2018*
 Date of last test : *1/14/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39326
Certificate Rent-All-number: 868

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2018
Date of last test : 1/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39345
Certificate Rent-All-number: 870

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 2/28/2018
Date of last test : 2/14/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H39299
 Certificate Rent-All-number: 872

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 4/10/2018
 Date of last test : 4/4/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39302
Certificate Rent-All-number: 874

Strength
Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/10/2018
Date of last test : 10/15/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39303*
Certificate Rent-All-number: *875*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*






Manufacturing date: *4/10/2018*
Date of last test : *3/16/2020*
* Date notation used : *MM/DD/YYYY*






Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands






Signature of competent engineer







Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	
<i>casing</i>	
<i>chain bag + safety</i>	
<i>power plug</i>	
<i>power cord</i>	

Regular Test	OK
<i>dead end stopper</i>	
<i>screw connections</i>	
<i>hook suspension</i>	
<i>chain</i>	
<i>hook tackle / block</i>	

Inside inspection	OK
<i>electric wiring</i>	
<i>brake system</i>	
<i>brake frame screws</i>	
<i>lift wheel</i>	
<i>chain guide</i>	

Final test	OK
<i>load test</i>	
<i>chain</i>	
<i>brake test</i>	
<i>overload test</i>	

Overall	OK
<i>CE - Marking</i>	
<i>A3 / NEN3140</i>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access. OK handles ✓ casing ✓ chain bag + safety ✓ power plug ✓ power cord ✓
Description:	Chainmaster D8+ 250KG HH. 24 meter	
Dimensions:	chain diameter 5,2 x 15 mm parten 1	
Material:	steel + aluminium	
Heat treatment:	non glowing	
Identification number:	H39304	
Certificate Rent-All-number:	876	Regular Test OK dead end stopper ✓ screw connections ✓ hook suspension ✓ chain ✓ hook tackle / block ✓
Strength		
Proof load applied:	3,12 kN	
Working load limit:	250 KG	
Safety factor:	4:01	
Manufacturing date:	4/10/2018	Inside inspection OK electric wiring ✓ brake system ✓ brake frame screws ✓ lift wheel ✓ chain guide ✓
Date of last test :	7/22/2019	
* Date notation used :	MM/DD/YYYY	
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	
Signature of competent engineer		
		
Pieter Longen		
		Final test OK load test ✓ chain ✓ brake test ✓ overload test ✓
		Overall OK CE - Marking ✓ A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39307
Certificate Rent-All-number: 879

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/10/2018

Date of last test : 4/11/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H39311
 Certificate Rent-All-number: 883

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 4/10/2018
 Date of last test : 2/4/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39315*
Certificate Rent-All-number: *887*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *4/10/2018*
Date of last test : *2/11/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39327
Certificate Rent-All-number: 895

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/10/2018

Date of last test : 1/14/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H39328
 Certificate Rent-All-number: 896

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 4/10/2018
 Date of last test : 4/11/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H39334
 Certificate Rent-All-number: 901

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 4/10/2018

Date of last test : 1/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39336
Certificate Rent-All-number: 903

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/10/2018

Date of last test : 4/11/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39338*
Certificate Rent-All-number: *905*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *4/10/2018*

Date of last test : *5/1/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 250KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H39340
Certificate Rent-All-number: 907

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 4/10/2018
Date of last test : 4/3/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39342*
Certificate Rent-All-number: *909*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *4/10/2018*

Date of last test : *3/18/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 250KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H39343*
Certificate Rent-All-number: *910*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *4/10/2018*

Date of last test : *3/18/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 250KG HH. 24 meter</i>	handles	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	casing	✓
Material:	<i>steel + aluminium</i>	chain bag + safety	✓
Heat treatment:	<i>non glowing</i>	power plug	✓
Identification number:	<i>H39347</i>	power cord	✓
Certificate Rent-All-number:	<i>912</i>		
Strength		Regular Test	OK
Proof load applied:	<i>3,12 kN</i>	dead end stopper	✓
Working load limit:	<i>250 KG</i>	screw connections	✓
Safety factor:	<i>4:01</i>	hook suspension	✓
		chain	✓
Manufacturing date:	<i>4/10/2018</i>	hook tackle / block	✓
Date of last test :	<i>10/16/2019</i>		
* Date notation used :	<i>MM/DD/YYYY</i>	Inside inspection	OK
		electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:		Final test	OK
<i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i>		load test	✓
Signature of competent engineer		chain	✓
		brake test	✓
<i>Pieter Langen</i>		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 250KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H39348
 Certificate Rent-All-number: 913

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 4/10/2018

Date of last test : 1/15/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓