

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: <i>Chainmaster</i></p> <p>Description: <i>Chainmaster D8+ 320KG HH. 24 meter</i></p> <p>Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i></p> <p>Material: <i>steel + aluminium</i></p> <p>Heat treatment: <i>non glowing</i></p> <p>Identification number: <i>H22024</i></p> <p>Certificate Rent-All-number: <i>002</i></p> <p><i>Strength</i></p> <p>Proof load applied: <i>4,00 kN</i></p> <p>Working load limit: <i>320 KG</i></p> <p>Safety factor: <i>4:01</i></p> <p>Manufacturing date: <i>2/1/2017</i></p> <p>Date of last test : <i>6/20/2019</i></p> <p><small>* Date notation used :</small> <i>MM/DD/YYYY</i></p> <p>Name and address of supplier:</p> <p><i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i></p> <p>Signature of competent engineer</p>	<p><i>Hoist parts and access.</i> OK</p> <ul style="list-style-type: none"> <i>handles</i> ✓ <i>casing</i> ✓ <i>chain bag + safety</i> ✓ <i>power plug</i> ✓ <i>power cord</i> ✓ <p><i>Regular Test</i> OK</p> <ul style="list-style-type: none"> <i>dead end stopper</i> ✓ <i>screw connections</i> ✓ <i>hook suspension</i> ✓ <i>chain</i> ✓ <i>hook tackle / block</i> ✓ <p><i>Inside inspection</i> OK</p> <ul style="list-style-type: none"> <i>electric wiring</i> ✓ <i>brake system</i> ✓ <i>brake frame screws</i> ✓ <i>lift wheel</i> ✓ <i>chain guide</i> ✓ <p><i>Final test</i> OK</p> <ul style="list-style-type: none"> <i>load test</i> ✓ <i>chain</i> ✓ <i>brake test</i> ✓ <i>overload test</i> ✓ <p><i>Overall</i> OK</p> <ul style="list-style-type: none"> <i>CE - Marking</i> ✓ <i>A3 / NEN3140</i> ✓
<p><i>Pieter Langen</i></p>	

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40301
Certificate Rent-All-number: 003

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 9/12/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H20236*
Certificate Rent-All-number: *005*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *8/29/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access. OK	<i>handles</i>	✓
Description:	<i>Chainmaster D8+ 320KG HH. 24 meter</i>		<i>casing</i>	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>		<i>chain bag + safety</i>	✓
Material:	<i>steel + aluminium</i>		<i>power plug</i>	✓
Heat treatment:	<i>non glowing</i>		<i>power cord</i>	✓
Identification number:	<i>G40309</i>		 Regular Test OK	
Certificate Rent-All-number:	<i>008</i>		<i>dead end stopper</i>	✓
 Strength			<i>screw connections</i>	✓
Proof load applied:	<i>4,00 kN</i>		<i>hook suspension</i>	✓
Working load limit:	<i>320 KG</i>		<i>chain</i>	✓
Safety factor:	<i>4:01</i>		<i>hook tackle / block</i>	✓
Manufacturing date:	<i>2/1/2017</i>		 Inside inspection OK	
Date of last test :	<i>8/27/2019</i>	<i>electric wiring</i>	✓	
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	<i>brake system</i>	✓	
Name and address of supplier:	<i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i>	<i>brake frame screws</i>	✓	
Signature of competent engineer		<i>lift wheel</i>	✓	
	<i>Pieter Longen</i>	<i>chain guide</i>	✓	
		 Final test OK		
		<i>load test</i>	✓	
		<i>chain</i>	✓	
		<i>brake test</i>	✓	
		<i>overload test</i>	✓	
		 Overall OK		
		<i>CE - Marking</i>	✓	
		<i>A3 / NEN3140</i>	✓	

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21528*
Certificate Rent-All-number: *010*

Strength
Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *2/18/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40290
Certificate Rent-All-number: 012

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 8/29/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40291
Certificate Rent-All-number: 013

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 2/7/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21540*
Certificate Rent-All-number: *020*

Strength
Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *8/26/2019*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21524
Certificate Rent-All-number: 023

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G40321*
Certificate Rent-All-number: *026*

Strength
Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *1/13/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20223
Certificate Rent-All-number: 027

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21510*
Certificate Rent-All-number: *030*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *9/13/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H20220*
 Certificate Rent-All-number: *033*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *6/25/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H22020*
 Certificate Rent-All-number: *034*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*

Date of last test : *3/3/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22050
Certificate Rent-All-number: 036

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 1/31/2020
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H22028*
 Certificate Rent-All-number: *037*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *8/27/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21544
Certificate Rent-All-number: 038

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21492*
Certificate Rent-All-number: *040*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *9/12/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21543
Certificate Rent-All-number: 041

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40305
Certificate Rent-All-number: 042

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 8/27/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H21488*
 Certificate Rent-All-number: *043*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/11/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H21520
 Certificate Rent-All-number: 045

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 3/3/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: <i>Chainmaster</i></p> <p>Description: <i>Chainmaster D8+ 320KG HH. 24 meter</i></p> <p>Dimensions: <i>chain diameter 5,2 x 15 mm parten 1</i></p> <p>Material: <i>steel + aluminium</i></p> <p>Heat treatment: <i>non glowing</i></p> <p>Identification number: <i>H22049</i></p> <p>Certificate Rent-All-number: <i>046</i></p> <p>Strength</p> <p>Proof load applied: <i>4,00 kN</i></p> <p>Working load limit: <i>320 KG</i></p> <p>Safety factor: <i>4:01</i></p> <p>Manufacturing date: <i>2/1/2017</i></p> <p>Date of last test : <i>1/17/2020</i></p> <p><small>* Date notation used : MM/DD/YYYY</small></p> <p>Name and address of supplier: <i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i></p> <p>Signature of competent engineer</p> <p style="text-align: center;"></p> <p><i>Pieter Langen</i></p>	<table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Hoist parts and access.</td> <td style="width: 20%; text-align: right;">OK</td> </tr> <tr><td>handles</td><td style="text-align: right;">✓</td></tr> <tr><td>casing</td><td style="text-align: right;">✓</td></tr> <tr><td>chain bag + safety</td><td style="text-align: right;">✓</td></tr> <tr><td>power plug</td><td style="text-align: right;">✓</td></tr> <tr><td>power cord</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2"> </td></tr> <tr> <td>Regular Test</td> <td style="text-align: right;">OK</td> </tr> <tr><td>dead end stopper</td><td style="text-align: right;">✓</td></tr> <tr><td>screw connections</td><td style="text-align: right;">✓</td></tr> <tr><td>hook suspension</td><td style="text-align: right;">✓</td></tr> <tr><td>chain</td><td style="text-align: right;">✓</td></tr> <tr><td>hook tackle / block</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2"> </td></tr> <tr> <td>Inside inspection</td> <td style="text-align: right;">OK</td> </tr> <tr><td>electric wiring</td><td style="text-align: right;">✓</td></tr> <tr><td>brake system</td><td style="text-align: right;">✓</td></tr> <tr><td>brake frame screws</td><td style="text-align: right;">✓</td></tr> <tr><td>lift wheel</td><td style="text-align: right;">✓</td></tr> <tr><td>chain guide</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2"> </td></tr> <tr> <td>Final test</td> <td style="text-align: right;">OK</td> </tr> <tr><td>load test</td><td style="text-align: right;">✓</td></tr> <tr><td>chain</td><td style="text-align: right;">✓</td></tr> <tr><td>brake test</td><td style="text-align: right;">✓</td></tr> <tr><td>overload test</td><td style="text-align: right;">✓</td></tr> <tr><td colspan="2"> </td></tr> <tr> <td>Overall</td> <td style="text-align: right;">OK</td> </tr> <tr><td>CE - Marking</td><td style="text-align: right;">✓</td></tr> <tr><td>A3 / NEN3140</td><td style="text-align: right;">✓</td></tr> </table>	Hoist parts and access.	OK	handles	✓	casing	✓	chain bag + safety	✓	power plug	✓	power cord	✓	 		Regular Test	OK	dead end stopper	✓	screw connections	✓	hook suspension	✓	chain	✓	hook tackle / block	✓	 		Inside inspection	OK	electric wiring	✓	brake system	✓	brake frame screws	✓	lift wheel	✓	chain guide	✓	 		Final test	OK	load test	✓	chain	✓	brake test	✓	overload test	✓	 		Overall	OK	CE - Marking	✓	A3 / NEN3140	✓
Hoist parts and access.	OK																																																												
handles	✓																																																												
casing	✓																																																												
chain bag + safety	✓																																																												
power plug	✓																																																												
power cord	✓																																																												
Regular Test	OK																																																												
dead end stopper	✓																																																												
screw connections	✓																																																												
hook suspension	✓																																																												
chain	✓																																																												
hook tackle / block	✓																																																												
Inside inspection	OK																																																												
electric wiring	✓																																																												
brake system	✓																																																												
brake frame screws	✓																																																												
lift wheel	✓																																																												
chain guide	✓																																																												
Final test	OK																																																												
load test	✓																																																												
chain	✓																																																												
brake test	✓																																																												
overload test	✓																																																												
Overall	OK																																																												
CE - Marking	✓																																																												
A3 / NEN3140	✓																																																												

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22004
Certificate Rent-All-number: 048

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/3/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20218
Certificate Rent-All-number: 049

Strength
Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 8/26/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21527
Certificate Rent-All-number: 050

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21545
Certificate Rent-All-number: 052

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20225
Certificate Rent-All-number: 053

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H20224
 Certificate Rent-All-number: 054

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 12/17/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21490
Certificate Rent-All-number: 055

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21501*
Certificate Rent-All-number: *057*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*

Date of last test : *9/13/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H20230*
 Certificate Rent-All-number: *062*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/3/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster


The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H22019
 Certificate Rent-All-number: 066

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 2/25/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

 Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: Chainmaster</p> <p>Description: Chainmaster D8+ 320KG HH. 24 meter</p> <p>Dimensions: chain diameter 5,2 x 15 mm parten 1</p> <p>Material: steel + aluminium</p> <p>Heat treatment: non glowing</p> <p>Identification number: H21522</p> <p>Certificate Rent-All-number: 067</p> <p><i>Strength</i></p> <p>Proof load applied: 4,00 kN</p> <p>Working load limit: 320 KG</p> <p>Safety factor: 4:01</p> <p>Manufacturing date: 2/1/2017</p> <p>Date of last test : 2/25/2020</p> <p>* Date notation used : MM/DD/YYYY</p> <p>Name and address of supplier: Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</p> <p>Signature of competent engineer</p> <p></p> <p>Pieter Longen</p>	<table border="0"> <tr> <td>Hoist parts and access.</td> <td>OK</td> </tr> <tr> <td>handles</td> <td>✓</td> </tr> <tr> <td>casing</td> <td>✓</td> </tr> <tr> <td>chain bag + safety</td> <td>✓</td> </tr> <tr> <td>power plug</td> <td>✓</td> </tr> <tr> <td>power cord</td> <td>✓</td> </tr> <tr> <td>Regular Test</td> <td>OK</td> </tr> <tr> <td>dead end stopper</td> <td>✓</td> </tr> <tr> <td>screw connections</td> <td>✓</td> </tr> <tr> <td>hook suspension</td> <td>✓</td> </tr> <tr> <td>chain</td> <td>✓</td> </tr> <tr> <td>hook tackle / block</td> <td>✓</td> </tr> <tr> <td>Inside inspection</td> <td>OK</td> </tr> <tr> <td>electric wiring</td> <td>✓</td> </tr> <tr> <td>brake system</td> <td>✓</td> </tr> <tr> <td>brake frame screws</td> <td>✓</td> </tr> <tr> <td>lift wheel</td> <td>✓</td> </tr> <tr> <td>chain guide</td> <td>✓</td> </tr> <tr> <td>Final test</td> <td>OK</td> </tr> <tr> <td>load test</td> <td>✓</td> </tr> <tr> <td>chain</td> <td>✓</td> </tr> <tr> <td>brake test</td> <td>✓</td> </tr> <tr> <td>overload test</td> <td>✓</td> </tr> <tr> <td>Overall</td> <td>OK</td> </tr> <tr> <td>CE - Marking</td> <td>✓</td> </tr> <tr> <td>A3 / NEN3140</td> <td>✓</td> </tr> </table>	Hoist parts and access.	OK	handles	✓	casing	✓	chain bag + safety	✓	power plug	✓	power cord	✓	Regular Test	OK	dead end stopper	✓	screw connections	✓	hook suspension	✓	chain	✓	hook tackle / block	✓	Inside inspection	OK	electric wiring	✓	brake system	✓	brake frame screws	✓	lift wheel	✓	chain guide	✓	Final test	OK	load test	✓	chain	✓	brake test	✓	overload test	✓	Overall	OK	CE - Marking	✓	A3 / NEN3140	✓
Hoist parts and access.	OK																																																				
handles	✓																																																				
casing	✓																																																				
chain bag + safety	✓																																																				
power plug	✓																																																				
power cord	✓																																																				
Regular Test	OK																																																				
dead end stopper	✓																																																				
screw connections	✓																																																				
hook suspension	✓																																																				
chain	✓																																																				
hook tackle / block	✓																																																				
Inside inspection	OK																																																				
electric wiring	✓																																																				
brake system	✓																																																				
brake frame screws	✓																																																				
lift wheel	✓																																																				
chain guide	✓																																																				
Final test	OK																																																				
load test	✓																																																				
chain	✓																																																				
brake test	✓																																																				
overload test	✓																																																				
Overall	OK																																																				
CE - Marking	✓																																																				
A3 / NEN3140	✓																																																				

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H20226
 Certificate Rent-All-number: 068

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H22014*
 Certificate Rent-All-number: *069*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/11/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H20216
 Certificate Rent-All-number: 071

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 5/25/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40323
Certificate Rent-All-number: 073

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21514
Certificate Rent-All-number: 075

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 9/13/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21519
Certificate Rent-All-number: 076

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22027
Certificate Rent-All-number: 080

Strength
Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H22043*
Certificate Rent-All-number: *081*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *2/13/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20229
Certificate Rent-All-number: 082

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

<p>Manufacturer: Chainmaster</p> <p>Description: Chainmaster D8+ 320KG HH. 24 meter</p> <p>Dimensions: chain diameter 5,2 x 15 mm parten 1</p> <p>Material: steel + aluminium</p> <p>Heat treatment: non glowing</p> <p>Identification number: H21497</p> <p>Certificate Rent-All-number: 083</p> <p>Strength</p> <p>Proof load applied: 4,00 kN</p> <p>Working load limit: 320 KG</p> <p>Safety factor: 4:01</p> <p>Manufacturing date: 2/1/2017</p> <p>Date of last test : 6/20/2019</p> <p><small>* Date notation used :</small> MM/DD/YYYY</p> <p>Name and address of supplier: Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</p> <p>Signature of competent engineer</p>	 <p>Pieter Langen</p>	<p>Hoist parts and access. OK</p> <p>handles ✓</p> <p>casing ✓</p> <p>chain bag + safety ✓</p> <p>power plug ✓</p> <p>power cord ✓</p> <p>Regular Test OK</p> <p>dead end stopper ✓</p> <p>screw connections ✓</p> <p>hook suspension ✓</p> <p>chain ✓</p> <p>hook tackle / block ✓</p> <p>Inside inspection OK</p> <p>electric wiring ✓</p> <p>brake system ✓</p> <p>brake frame screws ✓</p> <p>lift wheel ✓</p> <p>chain guide ✓</p> <p>Final test OK</p> <p>load test ✓</p> <p>chain ✓</p> <p>brake test ✓</p> <p>overload test ✓</p> <p>Overall OK</p> <p>CE - Marking ✓</p> <p>A3 / NEN3140 ✓</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H22045*
 Certificate Rent-All-number: *084*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/3/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22021
Certificate Rent-All-number: 085

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
** Date notation used :* MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G40294
 Certificate Rent-All-number: 086

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 3/11/2020
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 320KG HH. 24 meter	handles	✓
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	G40277	power cord	✓
Certificate Rent-All-number:	087		
		Regular Test	OK
Strength		dead end stopper	✓
Proof load applied:	4,00 kN	screw connections	✓
Working load limit:	320 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
		hook tackle / block	✓
Manufacturing date:	2/1/2017	Inside inspection	OK
Date of last test :	3/3/2020	electric wiring	✓
* Date notation used :	MM/DD/YYYY	brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands	Final test	OK
Signature of competent engineer		load test	✓
	Pieter Longen	chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21516
Certificate Rent-All-number: 088

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21502*
Certificate Rent-All-number: *089*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *9/12/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 320KG HH. 24 meter	handles	✔
Dimensions:	chain diameter 5,2 x 15 mm parten 1	casing	✔
Material:	steel + aluminium	chain bag + safety	✔
Heat treatment:	non glowing	power plug	✔
Identification number:	H21498	power cord	✔
Certificate Rent-All-number:	090		
 		Regular Test	OK
<i>Strength</i>		dead end stopper	✔
Proof load applied:	4,00 kN	screw connections	✔
Working load limit:	320 KG	hook suspension	✔
Safety factor:	4:01	chain	✔
		hook tackle / block	✔
Manufacturing date:	2/1/2017	Inside inspection	OK
Date of last test :	9/12/2019	electric wiring	✔
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	brake system	✔
		brake frame screws	✔
Name and address of supplier:		lift wheel	✔
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands		chain guide	✔
 		Final test	OK
Signature of competent engineer		load test	✔
		chain	✔
 		brake test	✔
<i>Pieter Langen</i>		overload test	✔
		Overall	OK
		CE - Marking	✔
		A3 / NEN3140	✔

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G40307
 Certificate Rent-All-number: 092

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G40314*
 Certificate Rent-All-number: *093*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/3/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H21504*
 Certificate Rent-All-number: *094*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *3/11/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H20213*
 Certificate Rent-All-number: *095*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *2/18/2020*
 * *Date notation used :* *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H20238
 Certificate Rent-All-number: 096

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 12/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G40292
 Certificate Rent-All-number: 098

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 3/3/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40308
Certificate Rent-All-number: 099

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/3/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40287
Certificate Rent-All-number: 102

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H22041*
 Certificate Rent-All-number: *103*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *6/20/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H22008*
Certificate Rent-All-number: *104*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*

Date of last test : *2/7/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40296
Certificate Rent-All-number: 105

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40318
Certificate Rent-All-number: 106

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21535
Certificate Rent-All-number: 107

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/11/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22023
Certificate Rent-All-number: 109

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 2/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22003
Certificate Rent-All-number: 111

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21534*
Certificate Rent-All-number: *112*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *9/13/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G40284
 Certificate Rent-All-number: 115

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 6/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40315
Certificate Rent-All-number: 119

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 1/29/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21533*
Certificate Rent-All-number: *121*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*

Date of last test : *3/3/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 320KG HH. 24 meter

Dimensions: chain diameter 5,2 x 15 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H21500

Certificate Rent-All-number: 123

Strength

Proof load applied: 4,00 kN

Working load limit: 320 KG

Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster	
Description:	Chainmaster D8+ 320KG HH. 24 meter	Hoist parts and access. OK
Dimensions:	chain diameter 5,2 x 15 mm parten 1	handles ✓
Material:	steel + aluminium	casing ✓
Heat treatment:	non glowing	chain bag + safety ✓
Identification number:	H20245	power plug ✓
Certificate Rent-All-number:	125	power cord ✓
Strength		Regular Test OK
Proof load applied:	4,00 kN	dead end stopper ✓
Working load limit:	320 KG	screw connections ✓
Safety factor:	4:01	hook suspension ✓
		chain ✓
Manufacturing date:	2/1/2017	hook tackle / block ✓
Date of last test :	1/27/2020	Inside inspection OK
<i>* Date notation used :</i>	<i>MM/DD/YYYY</i>	electric wiring ✓
		brake system ✓
		brake frame screws ✓
		lift wheel ✓
		chain guide ✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	Final test OK
Signature of competent engineer		load test ✓
		chain ✓
		brake test ✓
		overload test ✓
		Overall OK
		CE - Marking ✓
		A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20234
Certificate Rent-All-number: 127

Strength
Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 9/13/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20243
Certificate Rent-All-number: 133

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G40285*
Certificate Rent-All-number: *136*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *6/20/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21506
Certificate Rent-All-number: 140

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 3/18/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H20233
Certificate Rent-All-number: 145

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H21512*
 Certificate Rent-All-number: *146*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*

Date of last test : *5/18/2018*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H21532*
 Certificate Rent-All-number: *148*

Strength

Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *4/16/2018*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Chainmaster</i>	Hoist parts and access.	OK
Description:	<i>Chainmaster D8+ 320KG HH. 24 meter</i>	<i>handles</i>	✓
Dimensions:	<i>chain diameter 5,2 x 15 mm parten 1</i>	<i>casing</i>	✓
Material:	<i>steel + aluminium</i>	<i>chain bag + safety</i>	✓
Heat treatment:	<i>non glowing</i>	<i>power plug</i>	✓
Identification number:	<i>H22051</i>	<i>power cord</i>	✓
Certificate Rent-All-number:	<i>149</i>		
		Regular Test	OK
<i>Strength</i>		<i>dead end stopper</i>	✓
Proof load applied:	<i>4,00 kN</i>	<i>screw connections</i>	✓
Working load limit:	<i>320 KG</i>	<i>hook suspension</i>	✓
Safety factor:	<i>4:01</i>	<i>chain</i>	✓
		<i>hook tackle / block</i>	✓
Manufacturing date:	<i>2/1/2017</i>	Inside inspection	OK
Date of last test :	<i>6/20/2019</i>	<i>electric wiring</i>	✓
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	<i>brake system</i>	✓
		<i>brake frame screws</i>	✓
		<i>lift wheel</i>	✓
		<i>chain guide</i>	✓
Name and address of supplier:	<i>Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands</i>	Final test	OK
		<i>load test</i>	✓
Signature of competent engineer		<i>chain</i>	✓
		<i>brake test</i>	✓
		<i>overload test</i>	✓
<i>Pieter Longen</i>		Overall	OK
		<i>CE - Marking</i>	✓
		<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.


Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H21499*
 Certificate Rent-All-number: *150*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *12/11/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H22046
Certificate Rent-All-number: 151

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H22030
 Certificate Rent-All-number: 152

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 6/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H21523
 Certificate Rent-All-number: 157

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 9/12/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H21495*
Certificate Rent-All-number: *159*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *6/20/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40295
Certificate Rent-All-number: 160

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 6/20/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H21493
Certificate Rent-All-number: 163

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G40278
 Certificate Rent-All-number: 165

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 6/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G40316*
Certificate Rent-All-number: *171*

Strength
Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *3/2/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H22029*
Certificate Rent-All-number: *174*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *3/3/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H22015
 Certificate Rent-All-number: 175

Strength

Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 6/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40306
Certificate Rent-All-number: 176

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40283
Certificate Rent-All-number: 177

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017
Date of last test : 12/11/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 320KG HH. 24 meter
 Dimensions: chain diameter 5,2 x 15 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H20240
 Certificate Rent-All-number: 179

Strength
 Proof load applied: 4,00 kN
 Working load limit: 320 KG
 Safety factor: 4:01

Manufacturing date: 2/1/2017
 Date of last test : 6/20/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 320KG HH. 24 meter*
 Dimensions: *chain diameter 5,2 x 15 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G40303*
 Certificate Rent-All-number: *180*

Strength
 Proof load applied: *4,00 kN*
 Working load limit: *320 KG*
 Safety factor: *4:01*

Manufacturing date: *2/1/2017*
 Date of last test : *9/13/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 320KG HH. 24 meter
Dimensions: chain diameter 5,2 x 15 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G40311
Certificate Rent-All-number: 182

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 2/1/2017

Date of last test : 3/3/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G40287*
Certificate Rent-All-number: *189*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *8/27/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	Chainmaster	
Description:	Chainmaster D8+ 320KG HH. 24 meter	
Dimensions:	chain diameter 5,2 x 15 mm parten 1	
Material:	steel + aluminium	
Heat treatment:	non glowing	
Identification number:	H21495	
Certificate Rent-All-number:	193	
Strength		
Proof load applied:	4,00 kN	
Working load limit:	320 KG	
Safety factor:	4:01	
Manufacturing date:	2/1/2017	
Date of last test :	9/20/2019	
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>	
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	
Signature of competent engineer	 Pieter Longen	
	Hoist parts and access.	OK
	handles	✓
	casing	✓
	chain bag + safety	✓
	power plug	✓
	power cord	✓
	Regular Test	OK
	dead end stopper	✓
	screw connections	✓
	hook suspension	✓
	chain	✓
	hook tackle / block	✓
	Inside inspection	OK
	electric wiring	✓
	brake system	✓
	brake frame screws	✓
	lift wheel	✓
	chain guide	✓
	Final test	OK
	load test	✓
	chain	✓
	brake test	✓
	overload test	✓
	Overall	OK
	CE - Marking	✓
	A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 320KG HH. 24 meter*
Dimensions: *chain diameter 5,2 x 15 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H20212*
Certificate Rent-All-number: *195*

Strength

Proof load applied: *4,00 kN*
Working load limit: *320 KG*
Safety factor: *4:01*

Manufacturing date: *2/1/2017*
Date of last test : *9/20/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

