

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00387*
Certificate Rent-All-number: *009*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*
Date of last test : *2/6/2017*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00385*
Certificate Rent-All-number: *010*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *10/7/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KGHH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00388*
Certificate Rent-All-number: *013*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/12/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00386*
Certificate Rent-All-number: *014*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/19/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C00394
 Certificate Rent-All-number: 016

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 10/9/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B10641
Certificate Rent-All-number: 026

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012
Date of last test : 11/15/2019
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KGHH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B10640
Certificate Rent-All-number: 027

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012
Date of last test : 10/2/2019
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B10644
Certificate Rent-All-number: 030

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012
Date of last test : 10/7/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B10639
Certificate Rent-All-number: 032

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 1/26/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B10649
Certificate Rent-All-number: 036

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012
Date of last test : 11/15/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KGHH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00399*
Certificate Rent-All-number: *037*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*
Date of last test : *2/23/2017*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C00400
 Certificate Rent-All-number: 038

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 11/15/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00397*
Certificate Rent-All-number: *045*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment *Chainmaster*

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C00401*
Certificate Rent-All-number: *046*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *3/17/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B04050
Certificate Rent-All-number: 050

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 1/26/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KGHH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04052
 Certificate Rent-All-number: 051

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 2/6/2017
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • AMSTERDAM • AMSTERDAM

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KGHH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04064*
 Certificate Rent-All-number: *053*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04051
 Certificate Rent-All-number: 057

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 1/25/2017
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KGHH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *B04046*
Certificate Rent-All-number: *059*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04054
 Certificate Rent-All-number: 060

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 1/21/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment **Chainmaster**


The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KGHH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04049*
 Certificate Rent-All-number: *061*

Strength
 Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*
 Date of last test : *9/19/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04056
 Certificate Rent-All-number: 062

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 9/19/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KGHH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B04066
Certificate Rent-All-number: 065

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 3/15/2012

Date of last test : 2/6/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 250KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: B04065
Certificate Rent-All-number: 066

Strength

Proof load applied: 3,12 kN
Working load limit: 250 KG
Safety factor: 4:01

Manufacturing date: 3/15/2012

Date of last test : 8/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 250KG HH. 24 meter*
Dimensions: *chain diameter 4 x 12 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *B04067*
Certificate Rent-All-number: *070*

Strength

Proof load applied: *3,12 kN*
Working load limit: *250 KG*
Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *10/2/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

