

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *NL3954VJ*
Certificate Rent-All-number: *001*

Strength

Proof load applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2012*
Date of last test : *9/27/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	<i>Columbus McKinnon Corp.</i>
Description:	<i>CM-Iodestar DC 1 Ton HH. 25 meter Double Brake</i>
Dimensions:	<i>chain diameter 7,9 x 21,7 mm parten 1</i>
Material:	<i>steel + aluminium</i>
Heat treatment:	<i>non glowing</i>
Identification number:	<i>NL6691VT</i>
Certificate Rent-All-number:	<i>011</i>

Strength

Proof load applied:	<i>12,5 kN</i>
Working load limit:	<i>1000 KG</i>
Safety factor:	<i>4:01</i>

Manufacturing date:	<i>6/1/2012</i>
Date of last test :	<i>9/27/2019</i>
<small>* Date notation used :</small>	<small>MM/DD/YYYY</small>

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL6552VQ*
 Certificate Rent-All-number: *012*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *3/1/2013*
 Date of last test : *9/27/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL6558VQ*
 Certificate Rent-All-number: *015*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *3/1/2013*
 Date of last test : *9/27/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *NL3887VJ*
Certificate Rent-All-number: *016*

Strength

Proof load applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/1/2012*
Date of last test : *9/27/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

BEEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEEMMEL • AMSTERDAM



LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL6564VQ*
 Certificate Rent-All-number: *020*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *3/1/2013*

Date of last test : *9/27/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-lodestar DC 1 Ton HH. 25 meter
Double Brake
Dimensions: chain diameter 7,9 x 21,7 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: NL6555VQ
Certificate Rent-All-number: 021

Strength

Proof load applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 3/1/2013
Date of last test : 9/27/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake
Dimensions: chain diameter 7,9 x 21,7 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: NL6704VT
Certificate Rent-All-number: 022

Strength

Proof load applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 6/1/2012
Date of last test : 9/27/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL3301VM*
 Certificate Rent-All-number: *024*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *12/1/2012*

Date of last test : *9/27/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmell / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL6708VT*
 Certificate Rent-All-number: *025*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/1/2012*
 Date of last test : *9/27/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
 Regular Test	 OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
 Inside inspection	 OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
 Final test	 OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
 Overall	 OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar DC 1 Ton HH. 25 meter Double Brake
 Dimensions: chain diameter 7,9 x 21,7 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: NL7919VQ
 Certificate Rent-All-number: 030

Strength
 Proof load applied: 12,5 kN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 4/1/2013
 Date of last test : 9/27/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmelsewaard / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Columbus McKinnon Corp.
Description:	CM-Iodestar DC 1 Ton HH. 25 meter Double Brake
Dimensions:	chain diameter 7,9 x 21,7 mm parten 1
Material:	steel + aluminium
Heat treatment:	non glowing
Identification number:	NL3369VN
Certificate Rent-All-number:	031
Strength	
Proof load applied:	12,5 kN
Working load limit:	1000 KG
Safety factor:	4:01
Manufacturing date:	1/1/2013
Date of last test :	9/27/2019
* Date notation used :	MM/DD/YYYY
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmelen / The Netherlands
Signature of competent engineer	
Pieter Langen	
Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Columbus McKinnon Corp.	Hoist parts and access.	OK
Description:	CM-Iodestar DC 1 Ton HH. 25 meter Double Brake	handles	✓
Dimensions:	chain diameter 7,9 x 21,7 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	NL6702VT	power cord	✓
Certificate Rent-All-number:	041	 	
Strength		Regular Test	OK
Proof load applied:	12,5 kN	dead end stopper	✓
Working load limit:	1000 KG	screw connections	✓
Safety factor:	4:01	hook suspension	✓
		chain	✓
		hook tackle / block	✓
Manufacturing date:	6/1/2012	 	
Date of last test :	11/19/2019	Inside inspection	OK
* Date notation used :	MM/DD/YYYY	electric wiring	✓
		brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:		 	
	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	Final test	OK
Signature of competent engineer		load test	✓
		chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Pieter Langen

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar DC 1 Ton HH. 25 meter
Double Brake*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *NL3299VM*
 Certificate Rent-All-number: *043*

Strength

Proof load applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *12/1/2012*
 Date of last test : *11/20/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓