



## *Certificate of hoisting equipment*

### *Columbus McKinnon Corp.*

*The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.*

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL3302XG*  
Certificate Rent-All-number: *002*

#### *Strength*

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *7/1/2016*  
Date of last test : *5/14/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmelen / The Netherlands*

Signature of competent engineer

*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓



# Certificate of hoisting equipment

## Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2865XC*  
Certificate Rent-All-number: *004*

### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *6/13/2019*  
\* Date notation used : *MM/DD/YYYY*

### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

### Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓







## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2144WX*  
Certificate Rent-All-number: *008*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/1/2015*

Date of last test : *9/27/2019*

\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

#### Hoist parts and access. OK

*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

#### Regular Test OK

*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

#### Inside inspection OK

*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

#### Final test OK

*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

#### Overall OK

*CE - Marking* ✓  
*A3 / NEN3140* ✓







## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL8146WX*  
Certificate Rent-All-number: *011*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/1/2015*

Date of last test : *9/27/2019*

\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓







## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2866XC*  
Certificate Rent-All-number: *015*

#### *Strength*

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *9/27/2019*  
\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

**Hoist parts and access. OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓





## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL7908VQ*  
Certificate Rent-All-number: *017*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *9/27/2019*  
\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓





## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2868XC*  
Certificate Rent-All-number: *020*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *9/27/2019*  
*\* Date notation used : MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer

*Pieter Langen*

**Hoist parts and access.** OK  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** OK  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** OK  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** OK  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** OK  
*CE - Marking* ✓  
*A3 / NEN3140* ✓

















## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
 Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
 Double Brake*  
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
 Material: *steel + aluminium*  
 Heat treatment: *non glowing*  
 Identification number: *NL8148WX*  
 Certificate Rent-All-number: *028*

**Strength**

Proof load applied: *12,5 kN*  
 Working load limit: *1000 KG*  
 Safety factor: *4:01*

Manufacturing date: *10/1/2015*

Date of last test : *9/27/2019*

*\* Date notation used :* *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2861XC*  
Certificate Rent-All-number: *029*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *9/27/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL2877XC*  
Certificate Rent-All-number: *031*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/1/2016*  
Date of last test : *9/27/2019*  
\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓









## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL8145WX*  
Certificate Rent-All-number: *035*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/1/2015*

Date of last test : *9/27/2019*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar DC 1 Ton HH. 30 meter  
Double Brake*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *NL0257WM*  
Certificate Rent-All-number: *036*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *12/1/2014*

Date of last test : *2/12/2020*

\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓



