



















## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L4726SJ*  
Certificate Rent-All-number: *009*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *9/16/2006*  
Date of last test : *11/13/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓

# Certificate of hoisting equipment

## Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.  
Description: CM RR Lodestar 2 Ton HH. 30 meter  
Dimensions: chain diameter 7,9 x 21,7 mm parten 2  
Material: steel + aluminium  
Heat treatment: non glowing  
Identification number: L1591QY  
Certificate Rent-All-number: 010

### Strength

Proof load applied: 12,5 kN single part  
Working load limit: 2000 KG  
Safety factor: 4:01

Manufacturing date: 11/17/2003

Date of last test : 3/26/2019

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

### Hoist parts and access. OK

handles ✓  
casing ✓  
chain bag ✓  
power plug ✓  
power cord ✓

### Regular Test OK

dead end stopper ✓  
screw connections ✓  
hook suspension ✓  
chain ✓  
hook tackle / block ✓

### Inside inspection OK

electric wiring ✓  
brake system ✓  
brake frame screws ✓  
lift wheel ✓  
chain guide ✓

### Final test OK

load test ✓  
chain ✓  
brake test ✓  
overload test ✓

### Overall OK

CE - Marking ✓  
A3 / NEN3140 ✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L1592QY*  
Certificate Rent-All-number: *012*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *11/17/2003*

Date of last test : *11/13/2019*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓





## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3071NQ*  
Certificate Rent-All-number: *015*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/17/1999*

Date of last test : *6/1/2018*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓







## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3498SK*  
Certificate Rent-All-number: *018*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/16/2006*

Date of last test : *11/13/2019*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L4731SJ*  
Certificate Rent-All-number: *019*

#### *Strength*

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *9/16/2006*  
Date of last test : *11/13/2019*  
\* Date notation used : MM/DD/YYYY

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

#### **Hoist parts and access.** **OK**

handles ✓  
casing ✓  
chain bag ✓  
power plug ✓  
power cord ✓

#### **Regular Test** **OK**

dead end stopper ✓  
screw connections ✓  
hook suspension ✓  
chain ✓  
hook tackle / block ✓

#### **Inside inspection** **OK**

electric wiring ✓  
brake system ✓  
brake frame screws ✓  
lift wheel ✓  
chain guide ✓

#### **Final test** **OK**

load test ✓  
chain ✓  
brake test ✓  
overload test ✓

#### **Overall** **OK**

CE - Marking ✓  
A3 / NEN3140 ✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L2600SK*  
Certificate Rent-All-number: *021*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/16/2006*

Date of last test : *11/13/2019*

\* *Date notation used : MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓

<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓

<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓















## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.  
Description: CM RR Lodestar 2 Ton HH. 30 meter  
Dimensions: chain diameter 7,9 x 21,7 mm parten 2  
Material: steel + aluminium  
Heat treatment: non glowing  
Identification number: L3355SQ  
Certificate Rent-All-number: 028

#### Strength

Proof load applied: 12,5 kN single part  
Working load limit: 2000 KG  
Safety factor: 4:01

Manufacturing date: 3/17/2007  
Date of last test : 11/13/2019  
\* Date notation used : MM/DD/YYYY

Name and address of supplier:  
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓

<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓

<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	Columbus McKinnon Corp.	<b>Hoist parts and access.</b>	<b>OK</b>
Description:	CM RR Lodestar 2 Ton HH. 30 meter	handles	✓
Dimensions:	chain diameter 7,9 x 21,7 mm parten 2	casing	✓
Material:	steel + aluminium	chain bag	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	L4735SJ	power cord	✓
Certificate Rent-All-number:	030	<b>Regular Test</b>	<b>OK</b>
<b>Strength</b>		dead end stopper	✓
Proof load applied:	12,5 kN single part	screw connections	✓
Working load limit:	2000 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
		hook tackle / block	✓
Manufacturing date:	9/16/2006	<b>Inside inspection</b>	<b>OK</b>
Date of last test :	7/17/2018	electric wiring	✓
* Date notation used :	MM/DD/YYYY	brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	<b>Final test</b>	<b>OK</b>
Signature of competent engineer		load test	✓
	Pieter Langen	chain	✓
		brake test	✓
		overload test	✓
		<b>Overall</b>	<b>OK</b>
		CE - Marking	✓
		A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3354SQ*  
Certificate Rent-All-number: *031*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/17/2007*

Date of last test : *6/1/2018*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓





## **Certificate of hoisting equipment**

### **Columbus McKinnon Corp.**

*The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.*

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3353SQ*  
Certificate Rent-All-number: *033*

#### *Strength*

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/17/2007*  
Date of last test : *11/13/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer

*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓

<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓

<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • AMSTERDAM • AMSTERDAM • AMSTERDAM • AMSTERDAM

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3351SQ*  
Certificate Rent-All-number: *034*

**Strength**

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/17/2007*

Date of last test : *7/17/2018*

\* *Date notation used : MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access. OK**

*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test OK**

*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection OK**

*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test OK**

*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall OK**

*CE - Marking* ✓  
*A3 / NEN3140* ✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L3352SQ*  
Certificate Rent-All-number: *035*

#### Strength

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *3/17/2007*  
Date of last test : *11/13/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L4738SJ*  
Certificate Rent-All-number: *036*

#### **Strength**

Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *9/16/2006*  
Date of last test : *11/13/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer

*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓

<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓

<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Columbus McKinnon Corp.
Description:	CM RR Lodestar 2 Ton HH. 30 meter
Dimensions:	chain diameter 7,9 x 21,7 mm parten 2
Material:	steel + aluminium
Heat treatment:	non glowing
Identification number:	L4725SJ
Certificate Rent-All-number:	037

**Strength**

Proof load applied:	12,5 kN single part
Working load limit:	2000 KG
Safety factor:	4:01

Manufacturing date:	9/16/2006
---------------------	-----------

Date of last test :	11/13/2019
---------------------	------------

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM RR Lodestar 2 Ton HH. 30 meter*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L4722SJ*  
Certificate Rent-All-number: *039*

**Strength**  
Proof load applied: *12,5 kN single part*  
Working load limit: *2000 KG*  
Safety factor: *4:01*

Manufacturing date: *9/16/2006*  
Date of last test : *11/13/2019*  
\* Date notation used : MM/DD/YYYY

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓

<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓

<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓