

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2642100508
Certificate Rent-All-number: 350

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 1/15/2016

Date of last test: 3/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Eller
 Description: Eller ELPH2-1000 1 Ton HH. 12 meter
 Dimensions: chain diameter 6 x 18 mm part 1
 Material: steel
 Heat treatment: non glowing
 Identification number: 2784600594
 Certificate Rent-All-number: 484

Strenght

Proofload applied: 12,5 kN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 8/25/2016
 Date of last test: 2/17/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
 chain bag + safety ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 lower hook ✓
 overload test ✓

Inside inspection OK

brake system ✓
 brake frame screws ✓
 lift wheel ✓

Final test OK

dead end stopper ✓
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
 Description: Eller ELPH2-1000 1 Ton HH. 12 meter
 Dimensions: chain diameter 6 x 18 mm part 1
 Material: steel
 Heat treatment: non glowing
 Identification number: 2784600605
 Certificate Rent-All-number: 490

Strength

Proofload applied: 12,5 kN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 8/25/2016

Date of last test: 2/17/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
casing	✓
chain bag + safety	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
lower hook	✓
overload test	✓
Inside inspection	OK
brake system	✓
brake frame screws	✓
lift wheel	✓
Final test	OK
dead end stopper	✓
load test	✓
chain	✓
brake test	✓
overload test	✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2784600606*
Certificate Rent-All-number: *491*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *8/25/2016*

Date of last test: *3/5/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

casing ✓

chain bag + safety ✓

Regular Test **OK**

dead end stopper ✓

screw connections ✓

hook suspension ✓

chain ✓

lower hook ✓

overload test ✓

Inside inspection **OK**

brake system ✓

brake frame screws ✓

lift wheel ✓

Final test **OK**

dead end stopper ✓

load test ✓

chain ✓

brake test ✓

overload test ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2784600608*
Certificate Rent-All-number: *492*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *8/25/2016*

Date of last test: *1/23/2020*

* Date notation used: *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmell / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

casing ✓
chain bag + safety ✓

Regular Test **OK**

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test **OK**

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2784600610*
Certificate Rent-All-number: *493*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *8/25/2016*

Date of last test: *8/12/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2784600618
Certificate Rent-All-number: 496

Strength

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 8/25/2016

Date of last test: 1/23/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
 Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
 Dimensions: *chain diameter 6 x 18 mm part 1*
 Material: *steel*
 Heat treatment: *non glowing*
 Identification number: *2784600622*
 Certificate Rent-All-number: *498*

Strenght

Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *8/25/2016*

Date of last test: *6/11/2019*

* Date notation used: *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>casing</i>	<i>✓</i>
<i>chain bag + safety</i>	<i>✓</i>
Regular Test	OK
<i>dead end stopper</i>	<i>✓</i>
<i>screw connections</i>	<i>✓</i>
<i>hook suspension</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>lower hook</i>	<i>✓</i>
<i>overload test</i>	<i>✓</i>
Inside inspection	OK
<i>brake system</i>	<i>✓</i>
<i>brake frame screws</i>	<i>✓</i>
<i>lift wheel</i>	<i>✓</i>
Final test	OK
<i>dead end stopper</i>	<i>✓</i>
<i>load test</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>brake test</i>	<i>✓</i>
<i>overload test</i>	<i>✓</i>

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000330*
Certificate Rent-All-number: *525*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *8/12/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000345*
Certificate Rent-All-number: *526*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *2/12/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000342*
Certificate Rent-All-number: *530*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *1/23/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

casing ✓
chain bag + safety ✓

Regular Test **OK**

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection **OK**

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test **OK**

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000251
Certificate Rent-All-number: 531

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 2/12/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000256
Certificate Rent-All-number: 534

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 3/17/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000276*
Certificate Rent-All-number: *535*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *3/17/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Eller*
 Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
 Dimensions: *chain diameter 6 x 18 mm part 1*
 Material: *steel*
 Heat treatment: *non glowing*
 Identification number: *2735000848*
 Certificate Rent-All-number: *536*

Strenght

Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2016*
 Date of last test: *8/13/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>lower hook</i>	✓
<i>overload test</i>	✓
Inside inspection	OK
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
Final test	OK
<i>dead end stopper</i>	✓
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
 Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
 Dimensions: *chain diameter 6 x 18 mm part 1*
 Material: *steel*
 Heat treatment: *non glowing*
 Identification number: *2799000300*
 Certificate Rent-All-number: *543*

Strenght

Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *8/16/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

casing
 chain bag + safety

Regular Test **OK**

dead end stopper
 screw connections
 hook suspension
 chain
 lower hook
 overload test

Inside inspection **OK**

brake system
 brake frame screws
 lift wheel

Final test **OK**

dead end stopper
 load test
 chain
 brake test
 overload test

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000270
Certificate Rent-All-number: 544

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 12/9/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
 Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
 Dimensions: *chain diameter 6 x 18 mm part 1*
 Material: *steel*
 Heat treatment: *non glowing*
 Identification number: *2799000356*
 Certificate Rent-All-number: *548*

Strenght

Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *1/30/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**

casing ✓

chain bag + safety ✓

Regular Test **OK**

dead end stopper ✓

screw connections ✓

hook suspension ✓

chain ✓

lower hook ✓

overload test ✓

Inside inspection **OK**

brake system ✓

brake frame screws ✓

lift wheel ✓

Final test **OK**

dead end stopper ✓

load test ✓

chain ✓

brake test ✓

overload test ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000346*
Certificate Rent-All-number: *549*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *1/24/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Eller*
Description: *Eller ELPH2-1000 1 Ton HH. 12 meter*
Dimensions: *chain diameter 6 x 18 mm part 1*
Material: *steel*
Heat treatment: *non glowing*
Identification number: *2799000309*
Certificate Rent-All-number: *551*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *9/19/2016*

Date of last test: *2/24/2020*

* Date notation used: *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000349
Certificate Rent-All-number: 553

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 9/22/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000289
Certificate Rent-All-number: 555

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 8/13/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓

chain bag + safety ✓

Regular Test OK

dead end stopper ✓

screw connections ✓

hook suspension ✓

chain ✓

lower hook ✓

overload test ✓

Inside inspection OK

brake system ✓

brake frame screws ✓

lift wheel ✓

Final test OK

dead end stopper ✓

load test ✓

chain ✓

brake test ✓

overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000290
Certificate Rent-All-number: 559

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 3/16/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000334
Certificate Rent-All-number: 564

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 2/21/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000319
Certificate Rent-All-number: 566

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 8/12/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓

chain bag + safety ✓

Regular Test OK

dead end stopper ✓

screw connections ✓

hook suspension ✓

chain ✓

lower hook ✓

overload test ✓

Inside inspection OK

brake system ✓

brake frame screws ✓

lift wheel ✓

Final test OK

dead end stopper ✓

load test ✓

chain ✓

brake test ✓

overload test ✓

Certificate of hoisting equipment

Eller

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Eller
Description: Eller ELPH2-1000 1 Ton HH. 12 meter
Dimensions: chain diameter 6 x 18 mm part 1
Material: steel
Heat treatment: non glowing
Identification number: 2799000275
Certificate Rent-All-number: 578

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 9/19/2016

Date of last test: 1/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

casing ✓
chain bag + safety ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
lower hook ✓
overload test ✓

Inside inspection OK

brake system ✓
brake frame screws ✓
lift wheel ✓

Final test OK

dead end stopper ✓
load test ✓
chain ✓
brake test ✓
overload test ✓

